

DAFTAR PUSTAKA

- Backer, C. A. & Brink, R. C. B. V. D., 1968. *Flora of Java (Spermatophytes only) Vol III*. Netherland: Wolters-Noordhoof N. V., -Groningen.
- Backus, H.H.J., Pinedo, H.M., Wouters, D., Kuiper, C.M., Jansen, G. and van Groeningen, C.J., 2001, Differences in the Induction of DNA Damage, Cell Cycle Arrest, and Cell Death by 5-Fluorouracil and Antifolates, *Oncol. Res. Featuring Preclinal and Clinical Cancer Therapy*, **12**(5):231-239.
- Bimakr, M., 2010, Comparison of different extraction methods for the extraction of major bioactive flavonoid compounds from spearmint (*Mentha spicata* L.) leaves, *Food Bioprod Process*, 1-6.
- CCRC (Cancer Chemoprevention Research Center), 2009, Panen Sel, <http://ccrc.farmasi.ugm.ac.id>, diakses tanggal 16 mei 2017.
- CCRC (Cancer Chemoprevention Research Center), 2013, Uji Sitotoksik Metode MTT, <http://ccrc.farmasi.ugm.ac.id>, diakses tanggal 16 mei 2017.
- Cappel, M.S., 2005, The Pathophysiology, Clinical Presentation And Diagnosis Of Colon Cancer And Adenomatous Polyps, *The medical clinic of north america*, (89), 1-42.
- Chen, T.R., Drabkowski, D., Hay, R.J., Macy, M. and Peterson, W. Jr., 1987, WiDr is a Derivative of Another Colon Adenocarcinoma Cell Line, HT-29, *Cancer Genet Cytogenet.*, **27**(1):125-34.
- De Angelis, PM., Svendsrud, DH., Kravik, KL., and Stokke, T., 2006, Cellular Response to 5-Fluorouracil (5-FU) in 5-FU-resistant Colon Cancer Cell Lines During Treatment and Recovery, *Mol. Cancer*, **5**:20.
- Delabays, N., Simmonet, and Gaudin, M., 2001, The Genetics of Artemisinin Content in *Artemisis annua* L. and the Breeding of High Yielding Cultivars. *Current Medicinal Chemistry*, **8**, 15, 1795-1801.
- Depkes RI, 1979, *Farmakope Indonesia*, Edisi Ketiga, Jakarta, Departemen Kesehatan RI, Halaman. 32-33, 649, 696.
- Depkes RI., 1986, Sediaan Galenik, Departemen Kesehatan Republik Indonesia, Jakarta.
- Depkes RI., 2000, *Inventaris Tumbuhan Obat Indonesia*, Departemen Kesehatan Republik Indonesia, Jakarta, 5-11.

- Doyle and Griffiths, 2000, *Cell and Tissue Culture for Medical Research*, John Willey and Sons, Ltd., New York.
- Geonadi, F.A., Fitria, M., Ayu, D.P., Sulistyorini, E., danAsyiah., 2009, Cancer Chemoprevention Research Center, Fakultas Farmasi Universitas Gajah Mada.(n.d).Temu kunci (*Boesenbergia Pandurata*),. <http://www.ccrcc.Farmasi.ugm.ac.id>, diakses tanggal 16 Mei 2017.
- Gibellini, L., Pinti, M., Nasi, M., Montagna, J. P., Biasi, S., Roat, E., 2011, *Quercetin and Cancer Chemoprevention*. Journal of Evidence-Based Complimentary and Alternative Medicine , 1-15.
- Giovannetti, E., Backus, H.H.J., Wouters, D., Ferreira, C.G., van Houten, V.M.M., Brakenhoff, R.H., Poupon, M-F., Azzarello, A., Pinedo, H.M. and Peters, G.J., 2007, Changes in the Status of p53 Affect Drug Sensitivity to Thymidylate Synthase (TS) Inhibitors by Altering TS Levels, *British J. Can.*, 96:769-775.
- Globocan. 2012. Estimated Cancer Incidence, Mortality, and Prevalence Worldwide in 2012, URL: http://globocan.iarc.fr/pages/facts_sheets_population.aspx.Diakses10 Desember 20176.
- Gunawan, D dan Mulyani. S., 2004 *Ilmu Obat Alam*. Bogor: Penebar Swadaya
- Hanahan, D. and Weinberg, R.A., 2000, The Hallmark of Cancer, *Cell*, 100:57-70.
- Handoko, F.F., Maruti A.A., Rivanti, E., Putri D.D.P. dan Meiyanto, E., 2011, Aktivitas Sitotoksik Ekstrak Etanolik Rimpang Temu Kunci (*Boesenbergia pandurata*) Terhadap Sel Kanker ServiksHeLa dan Sel Kanker Kolon WiDr, *Majalah Kesehatan Pharma Medika*, 3(1), 222-226.
- Hargono, D., 2000, Obat Analgetik dan Antiinflamasi, Cermin Dunia Kedokteran, Jakarta, 37-3
- Harborne, J.B., 1987, *Metode Fitokimia: Penuntun Cara Modern Menganalisis Tumbuhan*, diterjemahkan oleh Kosasih Padmawinta dan Iwang Soediro, Institut Teknologi Bandung, Bandung, 152.
- Ikawati, M., 2008, Modulasi Daur Sel dan Pemacuan Apoptosis Pada Sel Kanker Kolon WiDr Oleh Perlakuan Tunggal Pentagamavunon-0 Dan Kombinasinya Dengan 5-Flourourasil, Tesis, Universitas Gadjah Mada, Yogyakarta.
- Janne, P.A., and Mayer, R.J., 2000, Chemoprevention of Colorectal Cancer, *N. Engl. J. Med.*, 342(26):1960-1965.

- Jansen, W.J.M., Zwart, B., Hulscher, S.T.M., Giaccone, Pinedo, H.M. and Boven, E., 1997, CPT-11 in Human Colon-Cancer Cell Lines and Xenografts: Characterization of Cellular Sensitivity Determinants, *Int. J. Cancer*, **70**:335-340.
- Katzung, Bertram G. (2010). *Farmakologi Dasar dan Klinik* (terjemahan), Ed.10, Penerbit Buku Kedokteran EGC, Jakarta.
- Katzung, B.G.1998. *Farmakologi Dasar dan Klinik*.Edisi keempat. Penerjemah :Bagian Farmakologi FKUA. Jakarta: Penerbit Salemba Medika. Hal. 36.
- Kardono, L.B.S., Artanti, N., Dewivanti, I.D. dan Basuki, T.,2003, *Selected Indonesian Medical Plants. Monograph and Description*,Vol I, Gramedia Widia Sarana Indonesia, Jakarta.
- King, R.J.B., 2000, *Cancer Biology*, 2nd edition, Pearson Education Limited, London.
- Kirana, C., Jones, G.P., Record, I.R., and McIntosh, G.H., 2006, Anticancer Properties of Panduratin A Isolated from *Boesenbergia Pandurata* (Zingiberaceae), *Journal of Natural Medicine*, **61**,131-137.
- Lim, Y.J.L., Rhee, J.C., Bae, Y.M. and Chun, W.J., 2007, Celecoxib Attenuates 5-Fluorourasil-Induced Apoptosis in HCT-15 and HT-29 Human Colon Cancer Cells, *World J. Gastroenterol.*, **13**(13):1947-1952.
- Liu, H.C., Chen, G.G., Vlantis, A.C., Leung, B.C.S., Tong, M.C.E. and van Hasselt, C.A., 2006, 5-Fluorourasil Mediates Apoptosis and G1/S Arrest in Laryngeal Squamous Cell Carcinoma via a p53-Independent Pathway, *The Cancer J.*, **12**(6):482-493.
- Lodish, H., Arnold, B., Zipursky, S. L., Matsudara, P., David, B., Darnell, J. E., 2000, *Molecular Cell Biology*, W. H. Freeman and Company, London.
- Mediani, A., Faridah. A., Alfi. K., and Chin P.T., 2013, *Cosmos caudatus* Potential Source of Polyphenolic Compounds: Optimisation of Oven Drying Conditions and Characterisation of Its Functional Properties, *Molecules*, **18** :10452-10464.
- Meiftasari, A ., Caesar, J.W.P., Novarina, A., Julika Yovi.W., Jenie, R.I., 2016, Ethanolic Extract Of Hedyotis Corymbosa and Its Combination With 5-FU Inhibit Cyclin D Expression On WiDr Colorectal Cancer Cell, *International Journal of Phytomedicine*, Vol 7 :25-30.

- Meyerhardt, J.A., and Mayer, R.J., 2005, Systemic Therapy for Colorectal Cancer, *N. Engl. J. Med.*, 352(5):476-487.
- Mosmann, 1983, Rapid Colorimetric Assay for Cellular Growth and Survival: Application to Proliferation and Cytotoxicity Assays, *Journal of Immunological Methods*, 65(1), 55-62.
- Muhlisah F, 1999, *Temu-temuan dan Empon-empon, Budidaya dan Manfaatnya*, cetakan 1, Penerbit Kanisius, Yogyakarta, 77-80.
- Muthi Ikawati, 2008, Modulasi Daur Sel dan Pemacuan Apoptosis Pada Sel Kanker Kolon WiDr oleh Pelakuan Tunggal Pentagamavunon-0 dan Kombinasinya dengan 5-Flourourasil.
- Nikkhah, G., Tonn, J.C., Hoffmann, O., Kraemer, H.P., Darling, J.L., Schönmayr, R., and Schachenmayr, W., 2004, The MTT Assay for Chemosensitivity Testing of Human Tumors of the Central Nervous System, *Journal of Neuro-Oncology*, 13, 1-11.
- Nurulita, N.A., Meiyanto, E., Sugiyanto, Matsuda, E., Kawaichi, M., 2011, The Ethyl Acetate Fraction of *Gynura Procumbens* Sensitizes WiDr Colon Cancer Cell Line Against 5-Fluorouracil But Shows Antagonism With Cisplatin, *International Journal of Phytomedicine*, Vol 3., No 3.
- Noguchi, P., Wallace, R., Johnson, J., Early, E.M., O'Brien, S. and Ferrone, S., 1979, Characterization of the WiDr: a Human Colon Carcinoma Cell Line, *In Vitro*, 15(6):401-408.
- Palozza, P., Serini, S., Maggiano, N., Giuseppe, T., Navarra, P., Ranelletti, F.O. and Calviello, G., 2005, β -Carotene Downregulates the Steady-State and Heregulin- α -Induced COX-2 Pathways in Colon Cancer Cells, *J. Nutr.*, 135:129-136.
- Peters, G.J., Backus, H.H.J., Freemantle, S., van Triest, B., Pisanelli, G.C., Wilt, C.L., et al., 2002, Induction of thymidylate synthase as a 5-fluorouracil resistance mechanism, *Biochimica et Biophysica Acta*, 1587:194-205.
- Plantus, 2008, Fingerroot (*Boesenbergia pandurata* Roxb. Schult). <http://aneka.planta.wordpress.com/2008/01/04/temu-kunci-boesenbergia-pandurata-roxb-schlechter>, diakses tanggal 16 Mei 2017.

- Reynolds and Maurer, 2005, Evaluating Response to Antineoplastic Drug Combinations in Tissue Culture Models in *Methods in Molecular Medicine*, vol. 110, Humana Press Inc., Totowa, NJ.
- Rukmana, R. (2008). *Temu-Temuan, apotek hidup di Pekarangan*. Yogyakarta: Kanisius., 17-19.
- Seidel, V., 2006, Initial and Bulk Extraction dalam Sarker, S. D., Latif, Z., and Gray, A., I. (Eds.), *Natural Product Isolation*, 2nd Ed., Humana Press, New Jersey, 111-112
- Shah, M.A., and Schwartz, G.K., 2001, Cell Cycle-mediated Drug Resistance: an Emerging Concept in Cancer Therapy, *Clin. Can. Res.*, 7:2168-2181.
- Sigmond, J., Backus, H.H., Wouters, D., Temmink, O.H., Jansen, G. and Peters, G.J., 2003, Induction of Resistance to the Multitargeted Antifolate Pemetrexed (ALIMTA) in WiDr Human Colon Cancer Cells is Associated with Thymidilate Synthase Overexpression, *Biochem. Pharmacol*
- Sjamsuhidajat, R. & Jong, W.D., 2006. *Buku Ajar Ilmu Bedah*, Jakarta: EGC, 646-663.
- Sohn, J.H., Han, K.L., Lee, S.H., and Hwang, J.K., 2005, Protective Effects of Panduratin Against Oxidative Damage of tert-Butylhydroperoxide in Human HepG2 Cells, *Biological and Pharmaceutical Bulletin*, 28(6):1083-1086.
- Sukardiman, Studiawan, H., Rahman, A., Santosa, M.H., and Pratama, F.A., 2014, Ethyl Acetate Fraction of *Andrographis paniculata* Ness Increases Cytotoxic Effect of 5-Fluorourasil on Human Cancer Cell Lines, *International Journal of Pharmacy and Pharmaceutical Science*, 6, 5, 67-71
- Tewtrakul S, Subhadhirasakul S, Karalai C, Ponglimanont C, Cheenpracha S. 2009. Anti-inflammatory effects of compounds from *Kaempferia parviflora* and *Boesenbergia pandurata*. *J Food Chem*. 115:534–538.
- Trankoontivakorn, G., Nakahara, K., Shinmoto, H., Takenaka, M., Kameyama, M.O., Ono, H., Yoshida, H.M., Nagata, T., and Tsushida, T., 2001. Structural Analysis of a Novel Antimutagenic Activity of Flavonoids in Thai Spice, Fingerroot (*Boesenbergia pandurata* Schult.) Against Mutagenic Heterocyclic Amines, *J. Agric. Food. Chem*, 49(6):3046-3050.

- Utami, W., Dai, M. & Sofiana, Y. R., 2005, Aktivitas Penangkap Radikal Dengan Metode DPPH Serta Penetapan Kandungan Fenol dan Flavanoid Dalam Ekstrak Kloroform, Ekstrak Etil Asetat, Ekstrak Etanol Daun Dewandaru (*Eugenia uniflora* L.), *Pharmacon*, **6**(1), 5 - 9.
- Van Steenis, C.G.G.J., 2003, *Flora*, P.T. Pradya Paramita, Jakarta, 233-236.
- Voight, R, 1994, *Buku Pelajaran Teknologi Farmasi*, Alih Bahasa Soewandhi, Edisi Kelima, Yogyakarta, Gadjah Mada University Press, 564.
- Wang, T.H., Wang, H.S., and Soong, Y.K., 2000, Paclitaxel Induced Cell Death: Where the Cell Cycle and Apoptosis Come Together, *Cancer*, **11**: 2619-2628.
- Widodo, H., Subositi, D., and Supriyati, N., 2011, Pengaruh Jenis Tanah terhadap Produksi Artemisinin Tanaman *Artemisia annua* L., *Simposium Penelitian Bahan Obat Alami*, 78-87.
- Winarto, E.P., Ivone, J., Saanin, S.N.J., 2009, Prevalensi Kanker Kolorektal di Rumah Sakit Imanuel Bandung Periode Januari 2005-Desember 2007, *Skripsi*, Universitas Kristen Maranatha, Bandung.
- Wyllie, A., Donahue, V., Fischer, B., Hill, D., Keesey, J., and Manzow, S., 2000, Cell Death Apoptosis and Necrosis, Rosche
- Yun, J.M., Kweon, M.H., Kwon, H.J., Hwang, J.K., and Mukhtar, H., 2005, Induction of Apoptosis by Panduratin A Isolated from *Kaempferia pandurata* in Human Colon Cancer HT-29 Cells, *Planta Med.*, **71**, 501-507.
- Zhao, L., Wientjes, M.G.danAu, J.L., 2004, Evaluation of Combination Chemotherapy: Integration of Nonlinear Regression, *Clinical Cancer Research*, 10: 7994-8004.