

## LAMPIRAN

### 1. Script Index

```
<?php
    session_start();
    error_reporting(0);
    include "dist/js/admin.php";
    include "config/koneksi.php";
    include "config/library.php";
    include "config/fungsi_indotgl.php";
    include "config/fungsi_seo.php";
    include "function.php";

    if (isset($_SESSION[id])){
        /*include 'function.php';
        for($i=1; $i<=$maxmodem; $i++){
            if (is_file('smsdrc'. $i)){
                exec("gammu-smsd -n ".getParam('id', $i)." -k");
            }
        }

        $a = mysql_fetch_array(mysql_query("SELECT count(*) as total
        FROM sms_inbox"));
        $b = mysql_fetch_array(mysql_query("SELECT count(*) as total
        FROM outbox"));
        $c = mysql_fetch_array(mysql_query("SELECT count(*) as total
        FROM sentitems"));
        $d = mysql_fetch_array(mysql_query("SELECT count(*) as total
        FROM users"));
        $e = mysql_fetch_array(mysql_query("SELECT count(*) as total
        FROM pbk_groups"));
        $f = mysql_fetch_array(mysql_query("SELECT count(*) as total
        FROM pbk"));
        */
        if ($_SESSION[level]=='superuser'){
            $iden = mysql_fetch_array(mysql_query("SELECT * FROM
            rb_users where id_user='".$_SESSION[id]'"));
            $nama = $iden[nama_lengkap];
```

```

        $level = 'Administrator';
        $foto = 'dist/img/avatar.png';
    }elseif($_SESSION[level]==='kepala'){
        $siden = mysql_fetch_array(mysql_query("SELECT * FROM
rb_users where id_user='$_SESSION[id]'"));
        $gu = mysql_fetch_array(mysql_query("SELECT * FROM
rb_guru where nip='$siden[username]'"));
        $nama = $siden[nama_lengkap];
        $level = 'Kepala Sekolah';
        if (trim($gu[foto])==""){
            $foto = 'foto_siswa/no-image.jpg';
        }else{
            $foto = 'foto_pegawai/'.$gu[foto];
        }
    }elseif($_SESSION[level]==='guru'){
        $siden = mysql_fetch_array(mysql_query("SELECT * FROM
rb_guru where nip='$_SESSION[id]'"));
        $nama = $siden[nama_guru];
        $level = 'Guru / Pengajar';
        if (trim($siden[foto])==""){
            $foto = 'foto_siswa/no-image.jpg';
        }else{
            $foto = 'foto_pegawai/'.$siden[foto];
        }
    }elseif($_SESSION[level]==='walikelas'){
        $siden = mysql_fetch_array(mysql_query("SELECT * FROM
rb_walikelas where nip='$_SESSION[id]'"));
        $nama = $siden[nama_guru];
        $level = 'Wali Kelas';
        if (trim($siden[foto])==""){
            $foto = 'foto_siswa/no-image.jpg';
        }else{
            $foto = 'foto_pegawai/'.$siden[foto];
        }
    }
    }elseif($_SESSION[level]==='siswa'){
        $siden = mysql_fetch_array(mysql_query("SELECT * FROM
rb_siswa where nisan='$_SESSION[id]'"));
        $nama = $siden[nama];
        $level = 'Siswa / Murid';
        if (trim($siden[foto])==""){

```

```

        $foto = 'foto_siswa/no-image.jpg';
    }else{
        $foto = 'foto_siswa/'.$siden[foto];
    }
}

```

```

    $kurikulum = mysql_fetch_array(mysql_query("SELECT * FROM
    rb_kurikulum where status_kurikulum='Ya'"));

```

```
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="utf-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
<title>Sistem Informasi Nilai</title>
```

```
<meta name="author" content="azam">
```

```
<!-- Tell the browser to be responsive to screen width -->
```

```
<meta content="width=device-width, initial-scale=1, maximum-
scale=1, user-scalable=no" name="viewport">
```

```
<!-- Bootstrap 3.3.5 -->
```

```
<link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
```

```
<!-- Font Awesome -->
```

```
<link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.4.0/css/font-awesome.min.css">
```

```
<!-- Ionicons -->
```

```
<link rel="stylesheet" href="https://code.ionicframework.com/ionicons/2.0.1/css/ionicons.min.cs
s">
```

```
<!-- DataTables -->
```

```
<link rel="stylesheet" href="plugins/datatables/dataTables.bootstrap.css">
```

```
<!-- Theme style -->
```

```
<link rel="stylesheet" href="dist/css/AdminLTE.min.css">
```

```
<!-- AdminLTE Skins. Choose a skin from the css/skins
```

```
folder instead of downloading all of them to reduce the load. -->
```

```
<link rel="stylesheet" href="dist/css/skins/_all-skins.min.css">
```

```
<!-- iCheck -->
```

```
<link rel="stylesheet" href="plugins/iCheck/flat/blue.css">
```

```
<!-- Morris chart -->
```

```
<link rel="stylesheet" href="plugins/morris/morris.css">
```

```

<!-- jvectormap -->
<link rel="stylesheet" href="plugins/jvectormap/jquery-jvectormap-
1.2.2.css">
<!-- Date Picker -->
<link rel="stylesheet" href="plugins/datepicker/datepicker3.css">
<!-- Daterange picker -->
<link rel="stylesheet" href="plugins/daterangepicker/daterangepicker-
bs3.css">
<!-- bootstrap wysihtml5 - text editor -->
<link rel="stylesheet" href="plugins/bootstrap-wysihtml5/bootstrap3-
wysihtml5.min.css">
<style type="text/css"> .files{ position:absolute; z-index:2; top:0; left:0;
filter:                                alpha(opacity=0);-ms-
filter:"progid:DXImageTransform.Microsoft.Alpha(Opacity=0)";
opacity:0; background-color:transparent; color:transparent; } </style>
<script type="text/javascript" src="plugins/jQuery/jquery-
1.12.3.min.js"></script>
<script language="javascript" type="text/javascript">
var maxAmount = 160;
function textCounter(textField, showCountField) {
if (textField.value.length > maxAmount) {
textField.value = textField.value.substring(0, maxAmount);
} else {
showCountField.value = maxAmount - textField.value.length;
}
}
</script>
</head>

<body class="hold-transition skin-blue sidebar-mini">
<div class="wrapper">
<header class="main-header">
<?php include "main-header.php"; ?>
</header>

<aside class="main-sidebar">
<?php
if ($_SESSION[level]== 'siswa'){
include "menu-siswa.php";

```



```

    }elseif ($_SESSION[level]==guru){
        include "menu-guru.php";
    }elseif ($_SESSION[level]==walikelas){
        include "menu-walikelas.php";
    }elseif ($_SESSION[level]==kepala){
        include "menu-kepsek.php";
    }else{
        include "menu-admin.php";
    }
?>
</aside>

<div class="content-wrapper">
<section class="content-header">
<h1> Dashboard <small>Control panel</small> </h1>
</section>

<section class="content">
<?php
if ($_GET[view]==home OR $_GET[view]=="){
if($_SESSION[level]==siswa){
include "application/home_siswa.php";
}elseif($_SESSION[level]==guru){
include "application/home_guru.php";
}elseif($_SESSION[level]==walikelas){
include "application/home_admin_row1.php";
}else{
echo "<div class='row'>";
include "application/home_admin_row1.php";
echo "</div>";
<div class='row'>";
include "application/home_admin_row2.php";
echo "</div>";
}
}elseif ($_GET[view]==siswa){
echo "<div class='row'>";
include "application/master_siswa.php";
echo "</div>";
}elseif ($_GET[view]==siswak){
echo "<div class='row'>";

```

```

        include "application/master_siswa_wali.php";
    echo "</div>";
}elseif ($_GET[view]=='guruh'){
    echo "<div class='row'>";
        include "application/master_guru_wali.php";
    echo "</div>";
}elseif ($_GET[view]=='kelaswali'){
    echo "<div class='row'>";
        include "application/master_kelas_wali.php";
    echo "</div>";
}elseif ($_GET[view]=='mapel'){
    echo "<div class='row'>";
        include "application/master_matapelajaran_wali.php";
    echo "</div>";
}elseif ($_GET[view]=='guru'){
    //cek_session_guru();
    echo "<div class='row'>";
        include "application/master_guru.php";
    echo "</div>";
}elseif ($_GET[view]=='wakilkepala'){
    //cek_session_admin();
    echo "<div class='row'>";
        include "application/master_wakilkepala.php";
    echo "</div>";
}elseif ($_GET[view]=='walikelas'){
    //cek_session_wali();
    echo "<div class='row'>";
        include "application/master_walikelas.php";
    echo "</div>";
}elseif ($_GET[view]=='admin'){
    cek_session_admin();
    echo "<div class='row'>";
        include "application/master_admin.php";
    echo "</div>";
}elseif ($_GET[view]=='kelas'){
    //cek_session_admin();
    echo "<div class='row'>";
        include "application/master_kelas.php";
    echo "</div>";
}elseif ($_GET[view]=='tahunakademik'){

```

```

cek_session_admin();
echo "<div class='row'>";
    include "application/master_tahun_akademik.php";
echo "</div>";
}elseif ($_GET[view]=='gedung'){
cek_session_admin();
echo "<div class='row'>";
    include "application/master_gedung.php";
echo "</div>";
}elseif ($_GET[view]=='ruangan'){
cek_session_admin();
echo "<div class='row'>";
    include "application/master_ruangan.php";
echo "</div>";
}elseif ($_GET[view]=='golongan'){
cek_session_admin();
echo "<div class='row'>";
    include "application/master_golongan.php";
echo "</div>";
}elseif ($_GET[view]=='ptk'){
cek_session_admin();
echo "<div class='row'>";
    include "application/master_ptk.php";
echo "</div>";
}elseif ($_GET[view]=='matapelajaran'){
//cek_session_admin();
echo "<div class='row'>";
    include "application/master_matapelajaran.php";
echo "</div>";
}elseif ($_GET[view]=='jadwalpelajaran'){
//cek_session_admin();
echo "<div class='row'>";
    include "application/master_jadwalpelajaran.php";
echo "</div>";
}elseif ($_GET[view]=='jurusan'){
cek_session_admin();
echo "<div class='row'>";
    include "application/master_jurusan.php";
echo "</div>";
}elseif ($_GET[view]=='kurikulum'){

```

```

cek_session_admin();
echo "<div class='row'>";
    include "application/master_kurikulum.php";
echo "</div>";
}elseif ($_GET[view]=='predikat'){
cek_session_admin();
echo "<div class='row'>";
    include "application/master_predikat.php";
echo "</div>";
}elseif ($_GET[view]=='statuspegawai'){
cek_session_admin();
echo "<div class='row'>";
    include "application/master_statuspegawai.php";
echo "</div>";
}elseif ($_GET[view]=='identitas'){
cek_session_admin();
echo "<div class='row'>";
    include "application/master_identitas.php";
echo "</div>";
}elseif ($_GET[view]=='kelompokmapel'){
cek_session_admin();
echo "<div class='row'>";
    include "application/master_kelompokmapel.php";
echo "</div>";
}

elseif ($_GET[view]=='sms'){
cek_session_admin();
echo "<div class='row'>";
    include "application/sms/sms.php";
echo "</div>";
}elseif ($_GET[view]=='broadcast'){
cek_session_admin();
echo "<div class='row'>";
    include "application/sms/broadcast.php";
echo "</div>";
}elseif ($_GET[view]=='autoreply'){
cek_session_admin();
echo "<div class='row'>";
    include "application/sms/autoreply.php";

```



```

    echo "</div>";
}elseif ($_GET[view]=='smstoweb'){
    cek_session_admin();
    echo "<div class='row'>";
        include "application/sms/sms_to_web.php";
    echo "</div>";
}elseif ($_GET[view]=='outboxautoreply'){
    cek_session_admin();
    echo "<div class='row'>";
        include "application/sms/outbox_autoreply.php";
    echo "</div>";
} elseif ($_GET[view]=='inbox'){
    cek_session_admin();
    echo "<div class='row'>";
        include "application/sms/inbox.php";
    echo "</div>";
} elseif ($_GET[view]=='terkirim'){
    cek_session_admin();
    echo "<div class='row'>";
        include "application/sms/sentitems.php";
    echo "</div>";
}
elseif ($_GET[view]=='contact'){
    cek_session_admin();
    echo "<div class='row'>";
        include "application/sms/contacts.php";
    echo "</div>";
}
elseif ($_GET[view]=='group'){
    cek_session_admin();
    echo "<div class='row'>";
        include "application/sms/groups.php";
    echo "</div>";
}
?>
</section>
</div><!-- /.content-wrapper -->
<footer class="main-footer">
    <?php include "footer.php"; ?>
</footer>

```

```

</div><!-- ./wrapper -->
<!-- jQuery 2.1.4 -->
<script src="plugins/jQuery/jquery-2.1.4.min.js"></script>
<!-- jQuery UI 1.11.4 -->
<script src="https://code.jquery.com/ui/1.11.4/jquery-
ui.min.js"></script>
<!-- Resolve conflict in jQuery UI tooltip with Bootstrap tooltip -->
<script>
    $.widget.bridge('uibutton', $.ui.button);
</script>
<script src="https://code.highcharts.com/highcharts.js"></script>
<script src="https://code.highcharts.com/modules/data.js"></script>
<script
src="https://code.highcharts.com/modules/exporting.js"></script>
<!-- Bootstrap 3.3.5 -->
<script src="bootstrap/js/bootstrap.min.js"></script>
<!-- DataTables -->
<script src="plugins/datatables/jquery.dataTables.min.js"></script>
<script src="plugins/datatables/dataTables.bootstrap.min.js"></script>
<!-- Morris.js charts -->
<script src="https://cdnjs.cloudflare.com/ajax/libs/raphael/2.1.0/raphael-
min.js"></script>
<script src="plugins/morris/morris.min.js"></script>
<!-- Sparkline -->
<script src="plugins/sparkline/jquery.sparkline.min.js"></script>
<!-- jvectormap -->
<script src="plugins/jvectormap/jquery-jvectormap-
1.2.2.min.js"></script>
<script src="plugins/jvectormap/jquery-jvectormap-world-mill-
en.js"></script>
<!-- jQuery Knob Chart -->
<script src="plugins/knob/jquery.knob.js"></script>
<!-- daterangepicker -->
<script
src="https://cdnjs.cloudflare.com/ajax/libs/moment.js/2.10.2/moment.min.
js"></script>
<script src="plugins/daterangepicker/daterangepicker.js"></script>
<!-- datepicker -->
<script src="plugins/datepicker/bootstrap-datepicker.js"></script>
<!-- Bootstrap WYSIHTML5 -->

```

```

<script src="plugins/bootstrap-wysihtml5/bootstrap3-wysihtml5.all.min.js"></script>
<!-- Slimscroll -->
<script src="plugins/slimScroll/jquery.slimscroll.min.js"></script>
<!-- FastClick -->
<script src="plugins/fastclick/fastclick.min.js"></script>
<!-- AdminLTE App -->
<script src="dist/js/app.min.js"></script>

<script>
$(function () {
  $("#example1").DataTable();
  $('#example2').DataTable({
    "paging": true,
    "lengthChange": false,
    "searching": true,
    "ordering": true,
    "info": true,
    "autoWidth": false
  });

  $('#example3').DataTable({
    "paging": true,
    "lengthChange": false,
    "searching": true,
    "ordering": false,
    "info": false,
    "autoWidth": false,
    "pageLength": 200
  });
});
$('.datepicker').datepicker();
</script>
</body>
</html>
<?php
}else{
include "login.php";
}
?>

```

## 2. Script Login

```

<!DOCTYPE html>
<html>
  <head>
    <meta charset="utf-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <title>SISTEM INFORMASI NILAI | Log in</title>

    <!-- Tell the browser to be responsive to screen width -->
    <meta content="width=device-width, initial-scale=1, maximum-
scale=1, user-scalable=no" name="viewport">
    <!-- Bootstrap 3.3.5 -->
    <link rel="stylesheet" href="bootstrap/css/bootstrap.min.css">
    <!-- Font Awesome -->
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.4.0/css/font-awesome.min.css">
    <!-- Ionicons -->
    <link rel="stylesheet" href="https://code.ionicframework.com/ionicons/2.0.1/css/ionicons.min.cs
s">
    <!-- Theme style -->
    <link rel="stylesheet" href="dist/css/AdminLTE.min.css">
    <!-- iCheck -->
    <link rel="stylesheet" href="plugins/iCheck/square/blue.css">
  </head>
  <body class="hold-transition login-page">
    <div class="login-box">
      <div class="login-logo">

        <img width='170px' src='smk mifda.jpg'><br>

        Sistem Informasi Nilai <BR>SMK Miftahul Huda
      </div><!-- /.login-logo -->
      <div class="login-box-body">
        <p class="login-box-msg">Login</p>

        <form action="" method="post">
          <div class="form-group has-feedback">

```



```

        <input type="text" class="form-control" name='a'
placeholder="Username" required>
        <span class="glyphicon glyphicon-user form-control-
feedback"></span>
    </div>
    <div class="form-group has-feedback">
        <input type="password" class="form-control" name='b'
placeholder="Password" required>
        <span class="glyphicon glyphicon-lock form-control-
feedback"></span>
    </div>
    <div class="row">
        <div class="col-xs-8">
            <div class="checkbox icheck">
                <!--label>
                <input type="checkbox"> Remember Me
                </label-->
            </div>
        </div><!-- /.col -->
        <div class="col-xs-4">
            <button name='login' type="submit" class="btn btn-primary btn-
block btn-flat">Sign In</button>
        </div><!-- /.col -->
    </div>
</form>

</div><!-- /.login-box-body -->
</div><!-- /.login-box -->

<!-- jQuery 2.1.4 -->
<script src="plugins/jQuery/jQuery-2.1.4.min.js"></script>
<!-- Bootstrap 3.3.5 -->
<script src="bootstrap/js/bootstrap.min.js"></script>
<!-- iCheck -->
<script src="plugins/iCheck/ichack.min.js"></script>
<script>
$(function () {
    $('input').iCheck({
        checkboxClass: 'checkbox_square-blue',
        radioClass: 'radio_square-blue',

```

```

        increaseArea: '20%' // optional
    });
});
</script>
</body>
</html>

<?php

if (isset($_POST[login])){
    $passlain=anti_injection($_POST[b]);
    $data=md5(anti_injection($_POST[b]));
    $pass=hash("sha512",$data);

    $admin = mysql_query("SELECT * FROM rb_users WHERE
username='".anti_injection($_POST[a])."' AND password='$pass'");
    $guru = mysql_query("SELECT * FROM rb_guru WHERE
nip='".anti_injection($_POST[a])."' AND password='$passlain'");
    $siswa = mysql_query("SELECT * FROM rb_siswa WHERE
nisn='".anti_injection($_POST[a])."' AND password='$passlain'");
    $walikelas = mysql_query("SELECT * FROM rb_walikelas WHERE
nip='".anti_injection($_POST[a])."' AND password='$passlain'");

    $hitungadmin = mysql_num_rows($admin);
    $hitungguru = mysql_num_rows($guru);
    $hitungwali = mysql_num_rows($walikelas);
    $hitungsiswa = mysql_num_rows($siswa);
    if ($hitungadmin >= 1){
        $r = mysql_fetch_array($admin);
        $_SESSION[id] = $r[id_user];
        $_SESSION[namalengkap] = $r[nama_lengkap];
        $_SESSION[level] = $r[level];
        include "config/user_agent.php";
        mysql_query("INSERT INTO rb_users_aktivitas
VALUES(',$r[id_user]','$ip','$user_browser
$version','$user_os','$r[level]',".date('H:i:s')."',".date('Y-m-d')."')");
        echo "<script>document.location='index.php';</script>";
    }elseif ($hitungguru >= 1){
        $r = mysql_fetch_array($guru);
        $_SESSION[id] = $r[nip];

```

```

$_SESSION[namalengkap] = $r[nama_guru];
$_SESSION[level] = 'guru';
include "config/user_agent.php";
mysql_query("INSERT INTO rb_users_aktivitas
VALUES('$r[nip]','$ip','$user_browser
$version','$user_os','guru','" . date('H:i:s') . "','" . date('Y-m-d') . "')");
echo "<script>document.location='index.php';</script>";
}elseif ($hitungwali >= 1){
$r = mysql_fetch_array($walikelas);
$_SESSION[id] = $r[nip];
$_SESSION[namalengkap] = $r[nama_guru];
$_SESSION[level] = 'walikelas';
include "config/user_agent.php";
mysql_query("INSERT INTO rb_users_aktivitas
VALUES('$r[nip]','$ip','$user_browser
$version','$user_os','guru','" . date('H:i:s') . "','" . date('Y-m-d') . "')");
echo "<script>document.location='index.php';</script>";
}elseif ($hitungsiswa >= 1){
$r = mysql_fetch_array($siswa);
$_SESSION[id] = $r[nisn];
$_SESSION[namalengkap] = $r[nama];
$_SESSION[kode_kelas] = $r[kode_kelas];
$_SESSION[angkatan] = $r[angkatan];
$_SESSION[level] = 'siswa';
include "config/user_agent.php";
mysql_query("INSERT INTO rb_users_aktivitas
VALUES('$r[nisn]','$ip','$user_browser
$version','$user_os','siswa','" . date('H:i:s') . "','" . date('Y-m-d') . "')");
echo "<script>document.location='index.php';</script>";
}else{
echo "<script>window.alert('Maaf, Anda Tidak Memiliki akses');
window.location=('index.php?view=login')</script>";
}
}
?>

```

### 3. Script Koneksi

```

<?php
date_default_timezone_set('Asia/Jakarta');
$server = "localhost";
$username = "root";
$password = "";
$database = "sinis";

mysql_connect($server,$username,$password);
mysql_select_db($database);

function anti_injection($data){
    $filter
    mysql_real_escape_string(stripslashes(strip_tags(htmlspecialchars($data,E
    NT_QUOTES))));
    return $filter;
}

function average($arr){
    if (!is_array($arr)) return false;
    return array_sum($arr)/count($arr);
}

function cek_session_admin(){
    $level = $_SESSION[level];
    if ($level != 'superuser' AND $level != 'kepala'){
        echo "<script>document.location='index.php';</script>";
    }
}

function cek_session_guru(){
    $level = $_SESSION[level];
    if ($level != 'guru' AND $level != 'superuser' AND $level !=
'kepala'){
        echo "<script>document.location='index.php';</script>";
    }
}

function cek_session_siswa(){

```



```

$level = $_SESSION[level];
if ($level == ""){
    echo "<script>document.location='index.php';</script>";
}
}
?>

```

#### 4. Script Admin

```

<?php if ($_GET[act]==""){ ?>
    <div class="col-xs-12">
        <div class="box">
            <div class="box-header">
                <h3 class="box-title">Data Administrator </h3>
                <a class='pull-right btn btn-primary btn-sm'
href='index.php?view=admin&act=tambah'>Tambahkan Data Admin</a>
            </div><!-- /.box-header -->
            <div class="box-body">
                <table id="example1" class="table table-bordered table-
striped">
                    <thead>
                        <tr>
                            <th style='width:30px'>No</th>
                            <th>Username</th>
                            <th>Nama Lengkap</th>
                            <th>Alamat Email</th>
                            <th>No Telpon</th>
                            <th>Jabatan</th>
                            <th>Level</th>
                            <th style='width:70px'>Action</th>
                        </tr>
                    </thead>
                    <tbody>
                        <?php
                            $stampil = mysql_query("SELECT * FROM rb_users where
level='superuser' ORDER BY id_user DESC");
                            $no = 1;
                            while($r=mysql_fetch_array($stampil)){
                                echo "<tr><td>$no</td>

```

```

        <td>${r[username]}</td>
        <td>${r[nama_lengkap]}</td>
        <td>${r[email]}</td>
        <td>${r[no_telpon]}</td>
        <td>${r[jabatan]}</td>
        <td>${r[level]}</td>
        <td><center>
            <a class='btn btn-success btn-xs' title='Edit Data'
href='?view=admin&act=edit&id=${r[id_user]}'><span class='glyphicon
glyphicon-edit'></span></a>
            <a class='btn btn-danger btn-xs' title='Delete Data'
href='?view=admin&hapus=${r[id_user]}'><span class='glyphicon
glyphicon-remove'></span></a>
        </center></td>";
        echo "</tr>";
        $no++;
    }
    if (isset($_GET[hapus])){
        mysql_query("DELETE FROM rb_users where
id_user='$_GET[hapus]'");
        echo
"<script>document.location='index.php?view=admin';</script>";
    }
?>
</tbody>
</table>
</div><!-- /.box-body -->
</div><!-- /.box -->
</div>
<?php
}elseif($_GET[act]=='edit'){
    if (isset($_POST[update])){
        $data = md5($_POST[b]);
        $pass=hash("sha512",$data);
        if (trim($_POST[b])==""){
            mysql_query("UPDATE rb_users SET username = '$_POST[a]',
                nama_lengkap = '$_POST[c]',
                email = '$_POST[d]',
                no_telpon = '$_POST[e]',

```

```

                                jabatan      =      '$_POST[f]'      where
id_user='$_POST[id]");
    }else{
        mysql_query("UPDATE rb_users SET username = '$_POST[a]',
                    password = '$pass',
                    nama_lengkap = '$_POST[c]',
                    email = '$_POST[d]',
                    no_telpon = '$_POST[e]',
                                jabatan      =      '$_POST[f]'      where
id_user='$_POST[id]");
    }
    echo "<script>document.location='index.php?view=admin';</script>";
}
$edit = mysql_query("SELECT * FROM rb_users a where
a.id_user='$_GET[id]");
$s = mysql_fetch_array($edit);
echo "<div class='col-md-12'>
    <div class='box box-info'>
        <div class='box-header with-border'>
            <h3 class='box-title'>Edit Data Administrator</h3>
        </div>
        <div class='box-body'>
            <form method='POST' class='form-horizontal' action="
enctype='multipart/form-data'>
                <div class='col-md-12'>
                    <table class='table table-condensed table-bordered'>
                        <tbody>
                            <input type='hidden' name='id' value='$s[id_user]'>
                            <tr><th width='120px' scope='row'>Username</th>
                            <td><input type='text' class='form-control' name='a'
value='$s[username]'> </td></tr>
                            <tr><th scope='row'>Password</th> <td><input
type='text' class='form-control' name='b' placeholder='Kosongkan saja
Jika Password tidak diganti,...'></td></tr>
                            <tr><th scope='row'>Nama Lengkap</th> <td><input
type='text' class='form-control' name='c'
value='$s[nama_lengkap]'></td></tr>
                            <tr><th scope='row'>Alamat Email</th> <td><input
type='text' class='form-control' name='d' value='$s[email]'></td></tr>

```

```

        <tr><th scope='row'>No Telpon</th>                <td><input
type='text' class='form-control' name='e' value='$s[no_telpon]'></td></tr>
        <tr><th scope='row'>Jabatan</th>                <td><input
type='text' class='form-control' name='f' value='$s[jabatan]'></td></tr>
    </tbody>
</table>
</div>
</div>
<div class='box-footer'>
    <button type='submit' name='update' class='btn btn-
info'>Update</button>
    <a href='index.php?view=guru'><button class='btn btn-
default pull-right'>Cancel</button></a>

</div>
</form>
</div>";
}elseif($_GET[act]=='tambah'){
    if (isset($_POST[tambah])){
        $data = md5($_POST[b]);
        $pass=hash("sha512",$data);
        mysql_query("INSERT INTO rb_users
VALUES(',$_POST[a]','$pass',$_POST[c]','$_POST[d]','$_POST[e]','$_
POST[f]','superuser','Y')");
        echo "<script>document.location='index.php?view=admin';</script>";
    }

echo "<div class='col-md-12'>
<div class='box box-info'>
<div class='box-header with-border'>
<h3 class='box-title'>Tambah Data Administrator</h3>
</div>
<div class='box-body'>
<form method='POST' class='form-horizontal' action="
enctype='multipart/form-data'>
<div class='col-md-12'>
<table class='table table-condensed table-bordered'>
<tbody>
<input type='hidden' name='id' value='$s[id_user]'>

```



```

        <tr><th width='120px' scope='row'>Username</th>
<td><input type='text' class='form-control' name='a'> </td></tr>
        <tr><th scope='row'>Password</th> <td><input
type='text' class='form-control' name='b'></td></tr>
        <tr><th scope='row'>Nama Lengkap</th> <td><input
type='text' class='form-control' name='c'></td></tr>
        <tr><th scope='row'>Alamat Email</th> <td><input
type='text' class='form-control' name='d' value='$s[email]'></td></tr>
        <tr><th scope='row'>No Telpon</th> <td><input
type='text' class='form-control' name='e' value='$s[no_telpon]'></td></tr>
        <tr><th scope='row'>Jabatan</th> <td><input
type='text' class='form-control' name='f' value='$s[jabatan]'></td></tr>
    </tbody>
</table>
</div>
</div>
<div class='box-footer'>
    <button type='submit' name='tambah' class='btn btn-
info'>Tambahkan</button>
    <a href='index.php?view=guru'><button class='btn btn-
default pull-right'>Cancel</button></a>

</div>
</form>
</div>";
}
?>

```