

Lampiran 1. index.php

```
<?php
session_start();
if(isset($_SESSION['userdb']) && isset($_SESSION['passdb']) &&
isset($_SESSION['posisidb']) && isset($_SESSION['iduser']))
    {
        $posisidb=$_SESSION['posisidb'];
        $userdb=$_SESSION['userdb'];
        $passdb=$_SESSION['passdb'];
        ?>
        <script type="text/javascript">
            window.location="tambahkategori.php";
        </script>
        <?php
    }
else
    {
        ?>
        <!DOCTYPE html>
        <html>

        <head>
            <!-- Meta, title, CSS, favicons, etc. -->
            <meta charset="utf-8">
            <title>AdminDesigns </title>
            <meta name="keywords" content="HTML5 Bootstrap
3 Admin Template UI Theme" />
            <meta name="description" content="AdminDesigns
- A Responsive HTML5 Admin UI Framework">
            <meta name="author" content="AdminDesigns">
            <meta name="viewport" content="width=device-
width, initial-scale=1.0">

            <!-- Font CSS (Via CDN) -->
            <link rel='stylesheet' type='text/css'
href='../font/font1.css'>
            <link rel="stylesheet" type="text/css"
href='../font/font2.css'>

            <!-- Theme CSS -->
            <link rel="stylesheet" type="text/css"
href="../assets/skin/default_skin/css/theme.css">

            <!-- Admin Forms CSS -->
```

```

        <link rel="stylesheet" type="text/css"
href="../../../assets/admin-tools/admin-forms/css/admin-forms.css">

        <!-- Favicon -->
        <link rel="shortcut icon"
href="../../../assets/img/favicon.ico">

        <!-- HTML5 Shim and Respond.js IE8 support of
HTML5 elements and media queries -->
        <!--[if lt IE 9]>
        <script
src="https://oss.maxcdn.com/libs/html5shiv/3.7.0/html5shiv.js"
></script>
        <script
src="https://oss.maxcdn.com/libs/respond.js/1.3.0/respond.min.
js"></script>
        <![endif]-->
        </head>

        <body class="external-page sb-l-c sb-r-c">

        <!-- Start: Settings Scripts -->
        <script>
        var boxtest =
localStorage.getItem('boxed');

        if (boxtest === 'true') {
            document.body.className += ' boxed-
layout';
        }
        </script>
        <!-- End: Settings Scripts -->

        <!-- Start: Main -->
        <div id="main" class="animated fadeIn">

        <!-- Start: Content -->
        <section id="content_wrapper">

        <!-- begin canvas animation bg -->
        <div id="canvas-wrapper">
            <canvas id="demo-
canvas"></canvas>

        </div>

        <!-- Begin: Content -->
        <section id="content">

```

```

info" >
info mt10 br-n">
header section -->
                                <div class="admin-form theme-
                                <div class="panel panel-
                                <!-- end .form-
                                <?php
                                error_reporting("null");
                                if(isset($_POST['tblog']))
                                {
                                $userinput=$_POST['username'];
                                $passinput=$_POST['password'];
                                if($userinput==" " || $userinput==" " || $passinput =="" ||
                                $passinput ==" ")
                                {
                                ?>
                                <div class="alert alert-danger alert-
                                dismissable">
                                <button type="button" class="close"
                                data-dismiss="alert" aria-hidden="true">&times;</button>
                                <i class="fa fa-remove pr10"></i>
                                <strong>Glagat Error</strong> Username
                                atau Password
                                <a href="#" class="alert-link">Dalam
                                Keadaan Kosong</a> Silahkan Ulangi Kembali.
                                </div>
                                <?php
                                include("frmlogin.php");
                                }

```

```
else
{
    $md5=$passinput;

    include("koneksi.php");

    $abdatalogin=mysql_query("Select username,
password, level, id_admin from tb_admin where
username='$userinput' and password='$md5'");

    $tpdatalogin=mysql_fetch_row($abdatalogin);
    $userdb=$tpdatalogin[0];
    $passdb=$tpdatalogin[1];
    $posisidb=$tpdatalogin[2];
    $iduserdb=$tpdatalogin[3];
    if($userdb==$userinput && $passdb==$md5 &&
$posisidb=="penjualan")
    {
        $_SESSION['userdb']=$userdb;
        $_SESSION['passdb']=$passdb;
        $_SESSION['posisidb']=$posisidb;
        $_SESSION['iduser']=$iduserdb;
        ?>
        <script type="text/javascript">
            window.location="indexjual.php";
        </script>
        <?php
```

```
    }  
  
    else if($userdb==$userinput && $passdb==$md5 &&  
$posisidb=="produksi")  
  
    {  
  
        $_SESSION['userdb']=$userdb;  
        $_SESSION['passdb']=$passdb;  
        $_SESSION['posisidb']=$posisidb;  
        $_SESSION['iduser']=$iduserdb;  
        ?>  
  
        <script type="text/javascript">  
window.location="indexproduksi.php";  
        </script>  
        <?php  
    }  
  
    else if($userdb==$userinput && $passdb==$md5 &&  
$posisidb=="direktur")  
  
    {  
  
        $_SESSION['userdb']=$userdb;  
        $_SESSION['passdb']=$passdb;  
        $_SESSION['posisidb']=$posisidb;  
        $_SESSION['iduser']=$iduserdb;  
        ?>  
  
        <script type="text/javascript">  
            window.location="grafik3.php";
```

```
</script>
<?php
}
else
{
?>
<div class="alert alert-danger alert-
dismissable">
    <button type="button" class="close"
data-dismiss="alert" aria-hidden="true">&times;</button>
    <i class="fa fa-remove pr10"></i>
    <strong>Glagat Error</strong>
Username atau Password
    <a href="#" class="alert-
link">Tidak Valid</a> Silahkan Ulangi Kembali.
</div>
<?php
    include("frmlogin.php");
}
}
else
{
include("frmlogin.php");
}
?>
</div>
```

A large, semi-transparent watermark of the Universitas Wahid Hasyim Semarang logo is centered on the page. The logo is a green shield with a yellow border, featuring a blue circular emblem in the center with a book and a sun. The text 'UNIVERSITAS WAHID HASYIM SEMARANG' is written around the shield.

```
        </div>

        </section>
        <!-- End: Content -->

    </section>
    <!-- End: Content-Wrapper -->

</div>
<!-- End: Main -->

<!-- BEGIN: PAGE SCRIPTS -->

<!-- Google Map API -->

<!-- jQuery -->
<script type="text/javascript"
src="../../vendor/jquery/jquery-1.11.1.min.js"></script>
<script type="text/javascript"
src="../../vendor/jquery/jquery-ui/jquery-ui.min.js"></script>

<!-- Bootstrap -->
<script type="text/javascript"
src="../../assets/js/bootstrap/bootstrap.min.js"></script>

<!-- Page Plugins -->
<script type="text/javascript"
src="../../assets/js/pages/login/EasePack.min.js"></script>
<script type="text/javascript"
src="../../assets/js/pages/login/rAF.js"></script>
<script type="text/javascript"
src="../../assets/js/pages/login/TweenLite.min.js"></script>
<script type="text/javascript"
src="../../assets/js/pages/login/login.js"></script>

<!-- Theme Javascript -->
<script type="text/javascript"
src="../../assets/js/utility/utility.js"></script>
<script type="text/javascript"
src="../../assets/js/main.js"></script>
<script type="text/javascript"
src="../../assets/js/demo.js"></script>

<!-- Page Javascript -->
<script type="text/javascript">
    jQuery(document).ready(function() {
```

```
starting location      "use strict";  
                        // Init CanvasBG and pass target  
                        CanvasBG.init({  
                          Loc: {  
                            x: window.innerWidth /  
2,                      y: window.innerHeight /  
3.3                      },  
                        });  
                        });  
</script>  
<!-- END: PAGE SCRIPTS -->  
</body>  
</html>  
<?php  
  }  
>
```



Lampiran 2. printlistgrafik.php

```

<?php
session_start();
if(isset($_SESSION['userdb']) && isset($_SESSION['passdb']) &&
isset($_SESSION['posisidb']) && isset($_SESSION['iduser']))
{
    $userdb=$_SESSION['userdb'];
    $passdb=$_SESSION['passdb'];
    $iduser=$_SESSION['iduser'];
    include("koneksi.php");
    // $abdatauserform=mysql_query("Select nama_user,
username, password, gambar from tb_user where
username='$userdb' and password='$passdb'");
    // $tpdatauserform=mysql_fetch_row($abdatauserform);
    ?>
    <h2 class="mt25
lh30 mtn text-center">Form Perkiraan Data Penjualan</h2>
    <div class="tab-
content mw900 center-block">
    <!-- Project
Quote -->
    <div
class="admin-form tab-pane active" id="quotel"
role="tabpanel">
    <div
class="panel panel-warning heading-border">
    <div class="panel-heading">
    <?php
    if(isset($_GET['nakep']))
    {
        $nakep=$_GET['nakep'];
        ?>
        <h3>Tampilan Hasil Perkiraan Penjualan ~ <?php
echo"$nakep";?></h3>

```

```
<?php
}
else
{
    ?>
    <h3>Tampilan Hasil Perkiraan Penjualan</h3>
    <?php
    }
?>
</div>
<!-- end .form-header section -->
<div class="panel-body p25">
<div class="section row">
    <div class="col-md-12">
        <div class="section">
            <div class="table-responsive">
                <?php
                    include("koneksi.php");
                if(isset($_GET['idkategori']))
                    {
                        $idkateg=$_GET['idkategori'];

                if(isset($_GET['idviewproduk']))
                    {
                        date_default_timezone_set("Asia/Jakarta");
```

```
$thn=date("Y");
$idviewproduk=$_GET['idviewproduk'];
$idint=$_GET['idint'];
$idkategori=$_GET['idkategori'];
$napok=$_GET['nakep'];
$nakep=$_GET['nakep'];
$minggu=$_GET['minggu'];
$tahun=$_GET['tahun'];
$nilainya=$_GET['nilainya'];
$tanggalinput=$_GET['tanggalinput'];
$minggusebelumnya=$_GET['minggusebelumnya'];
$tahunsebelumnya=$_GET['tahunsebelumnya'];
$hargasebelumnya=$_GET['hargasebelumnya'];
?>


---


<?php
    $abkategori=mysql_fetch_row(mysql_query("Select
nama from tb_datarang where id_kategori='$idkategori'"));
    $abproduk=mysql_query("Select harga, minggu, tahun
from tb_produk where id_kategori='$idkategori' and
minggu<='$minggusebelumnya' and tahun='$tahunsebelumnya' order
by minggu asc");
    $atot=mysql_num_rows($abproduk);
    $abprodukaja=mysql_fetch_row(mysql_query("Select
minggu, tahun from tb_produk where id_kategori='$idkategori'
```

```
and minggu<='$minggusebelumnya' and tahun='$tahunsebelumnya'
order by minggu desc limit 1"));
```

```

    ?>
class="table no-border hover">
class="no-border">
<tr>
<th style="width:3%"><strong><div
align="center">No</div></strong></th>
<th style="width:17%"><strong><div
align="center">Minggu</div></strong></th>
<th style="width:20%;"><strong><div
align="center">Jumlah</div></strong></th>
<th style="width:20%;"><strong><div
align="center">Xi</div></strong></th>
<th style="width:20%;"><strong><div
align="center">XiYi</div></strong></th>
<th style="width:20%;"><strong><div
align="center">XiKuadrat</div></strong></th>
</tr>
</thead>
class="no-border-y">
    if ($atot%2==1)
    {
        //ganjil
        $no=1;
        $has=2;

```



```

    $nipos=1;
    $tot=floor($atot/2)+1;
    $ni=$atot-$tot;
    $totxiyi="";
    $hasneg="";
    $haspos="";
    $totalharga=0;
    $totxi=0;
    $hasxine=0;
    $hasxipos=0;
    $totxikud=0;
    while($tpkategori=mysql_fetch_row($abproduk))
    {
        switch ($tpkategori[1])
        {
            case '1':$ket="Minggu ke
1 Bulan Januari";break;
            case '2':$ket="Minggu ke
2 Bulan Januari";break;
            case '3':$ket="Minggu ke
3 Bulan Januari";break;
            case '4':$ket="Minggu ke
4 Bulan Januari";break;
            case '5':$ket="Minggu ke
1 Bulan Februari";break;

```

```

2 Bulan Februari";break;
3 Bulan Februari";break;
4 Bulan Februari";break;
1 Bulan Maret";break;
ke 2 Bulan Maret";break;
ke 3 Bulan Maret";break;
ke 4 Bulan Maret";break;
ke 1 Bulan April";break;
ke 2 Bulan April";break;
ke 3 Bulan April";break;
ke 4 Bulan April";break;
ke 1 Bulan Mei";break;
ke 2 Bulan Mei";break;
ke 3 Bulan Mei";break;
ke 4 Bulan Mei";break;

case '6':$ket="Minggu ke
case '7':$ket="Minggu ke
case '8':$ket="Minggu ke
case '9':$ket="Minggu ke
case '10':$ket="Minggu
case '11':$ket="Minggu
case '12':$ket="Minggu
case '13':$ket="Minggu
case '14':$ket="Minggu
case '15':$ket="Minggu
case '16':$ket="Minggu
case '17':$ket="Minggu
case '18':$ket="Minggu
case '19':$ket="Minggu
case '20':$ket="Minggu

```

```
ke 1 Bulan Juni";break; case '21':$ket="Minggu
ke 2 Bulan Juni";break; case '22':$ket="Minggu
ke 3 Bulan Juni";break; case '23':$ket="Minggu
ke 4 Bulan Juni";break; case '24':$ket="Minggu
ke 1 Bulan Juli";break; case '25':$ket="Minggu
ke 2 Bulan Juli";break; case '26':$ket="Minggu
ke 3 Bulan Juli";break; case '27':$ket="Minggu
ke 4 Bulan Juli";break; case '28':$ket="Minggu
ke 1 Bulan Agustus";break; case '29':$ket="Minggu
ke 2 Bulan Agustus";break; case '30':$ket="Minggu
ke 3 Bulan Agustus";break; case '31':$ket="Minggu
ke 4 Bulan Agustus";break; case '32':$ket="Minggu
ke 1 Bulan September";break; case '33':$ket="Minggu
ke 2 Bulan September";break; case '34':$ket="Minggu
ke 3 Bulan September";break; case '35':$ket="Minggu
```

```

ke 4 Bulan September";break;
ke 1 Bulan Oktober";break;
ke 2 Bulan Oktober";break;
ke 3 Bulan Oktober";break;
ke 4 Bulan Oktober";break;
ke 1 Bulan November";break;
ke 2 Bulan November";break;
ke 3 Bulan November";break;
ke 4 Bulan November";break;
ke 1 Bulan Desember";break;
ke 2 Bulan Desember";break;
ke 3 Bulan Desember";break;
ke 4 Bulan Desember";break;
case '36':$ket="Minggu
case '37':$ket="Minggu
case '38':$ket="Minggu
case '39':$ket="Minggu
case '40':$ket="Minggu
case '41':$ket="Minggu
case '42':$ket="Minggu
case '43':$ket="Minggu
case '44':$ket="Minggu
case '45':$ket="Minggu
case '46':$ket="Minggu
case '47':$ket="Minggu
case '48':$ket="Minggu
}
if($tot==$tpkategori[1])
{
?>

```



```

<tr>
<td><div
align="center"><?php echo"$no";?></div></td>
<td><div
align="center"><?php echo"$ket Thn
$tpkategori[2]";?></div></td>
<td><div
align="center"><?php echo"$tpkategori[0]";?></div></td>
<td><div
align="center">0</div></td>
<td><div align="center">0</div></td>
<td><div align="center">0</div></td>
</tr>
<?php
}
else
{
if($tpkategori[1]<$tot)
{
?>
<tr>
<td><div
align="center"><?php echo"$no";?></div></td>
<td><div

```

```

align="center"><?php echo"$ket Thn
$tpkategori[2]";?></div></td>

<td><div
align="center"><?php echo"$tpkategori[0]";?></div></td>

<td><div
align="center"><?php echo"- $ni"; $gabni=-1*$ni;
$hasxine=$hasxine+$gabni;?></div></td>

<td>

<div align="center"><?php
$totneg=-$ni*$tpkategori[0];
$hasneg=$hasneg+$totneg;
echo"$totneg";
?></div>

</td>

<td><div align="center"><?php $squad=pow($ni,2);
echo"$squad";?></div></td>

</tr>
<?php
$ni--;
}
else
{
?>
</tr>

```

```

align="center"><?php echo"$no";?></div></td>
<td><div
align="center"><?php echo"$ket Thn
$tpkategori[2]";?></div></td>
<td><div
align="center"><?php echo"$tpkategori[0]";?></div></td>
<td><div
align="center"><?php echo"$nipos";
$hasxipos=$hasxipos+$nipos?></div></td>
<td><div align="center"><?php $totpos=$nipos*$tpkategori[0];
$haspos=$haspos+$totpos; echo"$totpos";?></div></td>
<td><div align="center"><?php $squad=pow($nipos,2);
echo"$squad";?></div></td>
</tr>
<?php
$nipos++;
}
$totxiyi=$hasneg+$haspos;
$totxi=$hasxine+$hasxipos;
$totxikud=$totxikud+$squad;
}
$totalharga=$totalharga+$tpkategori[0];
$has=$has+2;

```

```

        $no++;
    }

    ?>
        <tr>
            <td><div
align="center">Total</div></td>
            <td><div align="center"></div></td>
            <td><div align="center"><?php echo"$totalharga";?></div></td>
            <td><div align="center"><?php echo"$totxi";?></div></td>
            <td><div align="center"><?php $repxiyi=str_replace("-
            ","", $totxiyi); echo"$repxiyi";?></div></td>
            <td><div align="center"><?php echo"$totxikud";?></div></td>
        </tr>
    </tbody>
</table>

<?php
    $nil=$abprodukaja[0]+1;
    $noa=$no+1-1;
    ?>

<hr>
<h5>PERKIRAAN JUMLAH YANG DICARI</h5>
<hr>
<table class="table no-border hover">

```

```

<thead class="no-border">
<tr>
<th style="width:3%"><div align="center">No</div></th>
<th style="width:27%"><div align="center">Minggu</div></th>
<th style="width:70%;"><div align="center">Perkiraan Jumlah
Penjualan</div></th>
</tr>
</thead>
<?php
    $nonab=1;
    for($i=$nil;$i<=$minggu;$i++)
    {
        switch ($i)
        {
            case '1':$ket="Minggu ke
1 Bulan Januari";break;
            case '2':$ket="Minggu ke
2 Bulan Januari";break;
            case '3':$ket="Minggu ke
3 Bulan Januari";break;
            case '4':$ket="Minggu ke
4 Bulan Januari";break;
            case '5':$ket="Minggu ke
1 Bulan Februari";break;
            case '6':$ket="Minggu ke
2 Bulan Februari";break;

```


```

3 Bulan Februari";break;
4 Bulan Februari";break;
1 Bulan Maret";break;
ke 2 Bulan Maret";break;
ke 3 Bulan Maret";break;
ke 4 Bulan Maret";break;
ke 1 Bulan April";break;
ke 2 Bulan April";break;
ke 3 Bulan April";break;
ke 4 Bulan April";break;
ke 1 Bulan Mei";break;
ke 2 Bulan Mei";break;
ke 3 Bulan Mei";break;
ke 4 Bulan Mei";break;
ke 1 Bulan Juni";break;

case '7':$ket="Minggu ke
case '8':$ket="Minggu ke
case '9':$ket="Minggu ke
case '10':$ket="Minggu
case '11':$ket="Minggu
case '12':$ket="Minggu
case '13':$ket="Minggu
case '14':$ket="Minggu
case '15':$ket="Minggu
case '16':$ket="Minggu
case '17':$ket="Minggu
case '18':$ket="Minggu
case '19':$ket="Minggu
case '20':$ket="Minggu
case '21':$ket="Minggu

```

```
ke 2 Bulan Juni";break; case '22':$ket="Minggu
ke 3 Bulan Juni";break; case '23':$ket="Minggu
ke 4 Bulan Juni";break; case '24':$ket="Minggu
ke 1 Bulan Juli";break; case '25':$ket="Minggu
ke 2 Bulan Juli";break; case '26':$ket="Minggu
ke 3 Bulan Juli";break; case '27':$ket="Minggu
ke 4 Bulan Juli";break; case '28':$ket="Minggu
ke 1 Bulan Agustus";break; case '29':$ket="Minggu
ke 2 Bulan Agustus";break; case '30':$ket="Minggu
ke 3 Bulan Agustus";break; case '31':$ket="Minggu
ke 4 Bulan Agustus";break; case '32':$ket="Minggu
ke 1 Bulan September";break; case '33':$ket="Minggu
ke 2 Bulan September";break; case '34':$ket="Minggu
ke 3 Bulan September";break; case '35':$ket="Minggu
ke 4 Bulan September";break; case '36':$ket="Minggu
```

A large, semi-transparent watermark of the Universitas Wahid Hasyim Semarang logo is centered on the page. The logo is a green shield with a yellow border, containing a blue globe, a white quill pen, and an open book. The text 'UNIVERSITAS WAHID HASYIM SEMARANG' is written around the shield.

```

ke 1 Bulan Oktober";break;
ke 2 Bulan Oktober";break;
ke 3 Bulan Oktober";break;
ke 4 Bulan Oktober";break;
ke 1 Bulan November";break;
ke 2 Bulan November";break;
ke 3 Bulan November";break;
ke 4 Bulan November";break;
ke 1 Bulan Desember";break;
ke 2 Bulan Desember";break;
ke 3 Bulan Desember";break;
ke 4 Bulan Desember";break;
}
?>

```

```
<tbody class="no-border-y">
```

```
<tr>
```

```
<td><div
```



```

align="center"><strong><?php
echo"$nonab";?></strong></div></td>

<td><div
align="center"><strong><?php echo"$ket";?> Thn <?php
echo"$abprodukaja[1]";?></strong></div></td>

<td><div
align="center"><strong>?</strong></div></td>
</tr>
</tbody>
<?php
$nonab++;
$noa++;
}
?>
</table>
<hr>
<h5>PERHITUNGAN</h5>
<hr>
<?php
    $abproduktpl=mysql_fetch_row(mysql_query("Select harga
from tb_produk where id_kategori='$idkategori' and
minggu<='$minggusebelumnya' and tahun='$tahunsebelumnya' order
by minggu desc limit 1"));
    $kurno=$no-1;
    $nilaiA=ceil($totalharga/$kurno);
    echo"Nilai A= $totalharga / $kurno =
$nilaiA<br><br>";

```



```

        $nilaiB=ceil($repxiyi/$totxikud);
        echo"Nilai B= $repxiyi / $totxikud =
$nilaiB<br><br>";

        $nina=$nipos;
        ?>

<hr>
<h5>HASIL PERKIRAAN JUMLAH YANG DICARI</h5>
<hr>
<table class="table no-border hover">
<thead class="no-border">
<tr>
<th style="width:3%"><div align="center">No</div></th>
<th style="width:27%"><div align="center">Minggu</div></th>
<th style="width:50%;"><div align="center">Perkiraan Jumlah
Penjualan</div></th>
<th style="width:20%;"><div align="center">Tingkat
Kesalahan</div></th>
</tr>
</thead>
<?php
        $nana=0;
        for ($i=$nil;$i<=$minggu;$i++)
        {
                $nana++;

```


```

    }
    $nonaa=1;
    for($i=$nil;$i<=$minggu;$i++)
    {
        switch ($i)
        {
            case '1':$ket="Minggu ke
1 Bulan Januari";break;
            case '2':$ket="Minggu ke
2 Bulan Januari";break;
            case '3':$ket="Minggu ke
3 Bulan Januari";break;
            case '4':$ket="Minggu ke
4 Bulan Januari";break;
            case '5':$ket="Minggu ke
1 Bulan Februari";break;
            case '6':$ket="Minggu ke
2 Bulan Februari";break;
            case '7':$ket="Minggu ke
3 Bulan Februari";break;
            case '8':$ket="Minggu ke
4 Bulan Februari";break;
            case '9':$ket="Minggu ke
1 Bulan Maret";break;
            case '10':$ket="Minggu
ke 2 Bulan Maret";break;
            case '11':$ket="Minggu
ke 3 Bulan Maret";break;

```

```
ke 4 Bulan Maret";break;
ke 1 Bulan April";break;
ke 2 Bulan April";break;
ke 3 Bulan April";break;
ke 4 Bulan April";break;
ke 1 Bulan Mei";break;
ke 2 Bulan Mei";break;
ke 3 Bulan Mei";break;
ke 4 Bulan Mei";break;
ke 1 Bulan Juni";break;
ke 2 Bulan Juni";break;
ke 3 Bulan Juni";break;
ke 4 Bulan Juni";break;
ke 1 Bulan Juli";break;
ke 2 Bulan Juli";break;
```

```
case '12':$ket="Minggu
case '13':$ket="Minggu
case '14':$ket="Minggu
case '15':$ket="Minggu
case '16':$ket="Minggu
case '17':$ket="Minggu
case '18':$ket="Minggu
case '19':$ket="Minggu
case '20':$ket="Minggu
case '21':$ket="Minggu
case '22':$ket="Minggu
case '23':$ket="Minggu
case '24':$ket="Minggu
case '25':$ket="Minggu
case '26':$ket="Minggu
```

The image contains a large, semi-transparent watermark logo of Universitas Wahid Hasyim Semarang. The logo is circular with a yellow border and a green background. It features a central emblem of an open book with a quill pen resting on it, set against a blue globe. The text "UNIVERSITAS WAHID HASYIM" is written in a semi-circle at the top, and "SEMARANG" is written at the bottom. There are several yellow stars scattered around the central emblem.

```

ke 3 Bulan Juli";break;
ke 4 Bulan Juli";break;
ke 1 Bulan Agustus";break;
ke 2 Bulan Agustus";break;
ke 3 Bulan Agustus";break;
ke 4 Bulan Agustus";break;
ke 1 Bulan September";break;
ke 2 Bulan September";break;
ke 3 Bulan September";break;
ke 4 Bulan September";break;
ke 1 Bulan Oktober";break;
ke 2 Bulan Oktober";break;
ke 3 Bulan Oktober";break;
ke 4 Bulan Oktober";break;
ke 1 Bulan November";break;

case '27':$ket="Minggu
case '28':$ket="Minggu
case '29':$ket="Minggu
case '30':$ket="Minggu
case '31':$ket="Minggu
case '32':$ket="Minggu
case '33':$ket="Minggu
case '34':$ket="Minggu
case '35':$ket="Minggu
case '36':$ket="Minggu
case '37':$ket="Minggu
case '38':$ket="Minggu
case '39':$ket="Minggu
case '40':$ket="Minggu
case '41':$ket="Minggu

```



```
$kaltol=number_format($kurtol*$nana/$totalharga,2); echo"$nana
/ $totalharga ($totalall-$abproduktpl[0])= $kaltol %";?><hr>
```

```
<tbody class="no-border-y">
```

```
<tr>
```

```
<td><div
```

```
align="center"><strong><?php
echo"$nonaa";?></strong></div></td>
```

```
<td><div
```

```
align="center"><strong><?php echo"$ket";?> Thn <?php
echo"$abprodukaja[1]";?></strong></div></td>
```

```
<td><div
```

```
align="center"><strong><?php
echo"$totalall";?></strong></div></td>
```

```
<td><div align="center"><strong><?php
echo"$hitkal%";?></strong></div></td>
```

```
</tr>
```

```
</tbody>
```

```
<?php
```

```
$noa++;
```

```
$nonaa++;
```

```
$nina=$nina+1;
```

```
}
```

```
?>
```

```
</table>
```

```
<?php
```

```
}
```

```
else
{
    //genap
    $no=1;
    $has=2;

    $andi="";
    if($atot%2==0)
    {
        $andi=$atot-1;
    }
    else
    {
        $andi=1;
    }

    $tot=floor($atot/2);
    $ni=$andi;
    $nipos=1;

    $totxiyi="";
    $hasneg="";
    $haspos="";
    $totalharga=0;
```



```
$totxi=0;


$hasxine=0;

$hasxipos=0;

$totxikud=0;

while($tpkategori=mysql_fetch_row($abproduk))
{
    switch ($tpkategori[1])
    {
        case
'1':$ket="Minggu ke 1 Bulan Januari";break;
        case
'2':$ket="Minggu ke 2 Bulan Januari";break;
        case
'3':$ket="Minggu ke 3 Bulan Januari";break;
        case
'4':$ket="Minggu ke 4 Bulan Januari";break;
        case
'5':$ket="Minggu ke 1 Bulan Februari";break;
        case
'6':$ket="Minggu ke 2 Bulan Februari";break;
        case
'7':$ket="Minggu ke 3 Bulan Februari";break;
        case
'8':$ket="Minggu ke 4 Bulan Februari";break;
        case
'9':$ket="Minggu ke 1 Bulan Maret";break;
        case
'10':$ket="Minggu ke 2 Bulan Maret";break;
```

```
'11':$ket="Minggu ke 3 Bulan Maret";break; case
'12':$ket="Minggu ke 4 Bulan Maret";break; case
'13':$ket="Minggu ke 1 Bulan April";break; case
'14':$ket="Minggu ke 2 Bulan April";break; case
'15':$ket="Minggu ke 3 Bulan April";break; case
'16':$ket="Minggu ke 4 Bulan April";break; case
'17':$ket="Minggu ke 1 Bulan Mei";break; case
'18':$ket="Minggu ke 2 Bulan Mei";break; case
'19':$ket="Minggu ke 3 Bulan Mei";break; case
'20':$ket="Minggu ke 4 Bulan Mei";break; case
'21':$ket="Minggu ke 1 Bulan Juni";break; case
'22':$ket="Minggu ke 2 Bulan Juni";break; case
'23':$ket="Minggu ke 3 Bulan Juni";break; case
'24':$ket="Minggu ke 4 Bulan Juni";break; case
'25':$ket="Minggu ke 1 Bulan Juli";break; case
```

A large, semi-transparent watermark of the Universitas Wahid Hasyim Semarang logo is centered on the page. The logo is a green shield with a yellow border, featuring a central emblem of an open book and a quill pen, surrounded by stars and the text 'UNIVERSITAS WAHID HASYIM SEMARANG'.

```
case
'26':$ket="Minggu ke 2 Bulan Juli";break;

case
'27':$ket="Minggu ke 3 Bulan Juli";break;

case
'28':$ket="Minggu ke 4 Bulan Juli";break;

case
'29':$ket="Minggu ke 1 Bulan Agustus";break;

case
'30':$ket="Minggu ke 2 Bulan Agustus";break;

case
'31':$ket="Minggu ke 3 Bulan Agustus";break;

case
'32':$ket="Minggu ke 4 Bulan Agustus";break;

case
'33':$ket="Minggu ke 1 Bulan September";break;

case
'34':$ket="Minggu ke 2 Bulan September";break;

case
'35':$ket="Minggu ke 3 Bulan September";break;


case
'36':$ket="Minggu ke 4 Bulan September";break;

case
'37':$ket="Minggu ke 1 Bulan Oktober";break;

case
'38':$ket="Minggu ke 2 Bulan Oktober";break;

case
'39':$ket="Minggu ke 3 Bulan Oktober";break;

case
'40':$ket="Minggu ke 4 Bulan Oktober";break;
```

A large, semi-transparent watermark of the Universitas Wahid Hasyim Semarang logo is centered on the page. The logo is a green shield with a yellow border, featuring a central emblem of an open book and a quill pen, surrounded by stars and the text 'UNIVERSITAS WAHID HASYIM SEMARANG'.

```

case
'41':$ket="Minggu ke 1 Bulan November";break;

case
'42':$ket="Minggu ke 2 Bulan November";break;

case
'43':$ket="Minggu ke 3 Bulan November";break;

case
'44':$ket="Minggu ke 4 Bulan November";break;

case
'45':$ket="Minggu ke 1 Bulan Desember";break;

case
'46':$ket="Minggu ke 2 Bulan Desember";break;

case
'47':$ket="Minggu ke 3 Bulan Desember";break;

case
'48':$ket="Minggu ke 4 Bulan Desember";break;
}
if($tpkategori[1]<=$tot)
{
    ?>
    <tr>
        <td><div
align="center"><?php echo"$no";?></div></td>
        <td><div
align="center"><?php echo"$ket Thn
$tpkategori[2]";?></div></td>
        <td><div
align="center"><?php echo"$tpkategori[0]";?></div></td>
        <td><div

```

```

align="center"><?php echo "-$ni"; $gabni=-1*$ni;
$hasxine=$hasxine+$gabni;?></div></td>

<td>

<div
align="center"><?php $tota=-$ni*$tpkategori[0]; echo"$tota";

$hasneg=$hasneg+$tota;

?></div>

</td>

<td><div align="center"><?php $squad=pow($ni,2);
echo"$squad";?></div></td>

</tr>

<?php
$ni=$ni-2;
}
else
{
?>

<tr>

<td><div
align="center"><?php echo"$no";?></div></td>

<td><div

align="center"><?php echo"$ket Thn
$tpkategori[2]";?></div></td>

<td><div

align="center"><?php echo"$tpkategori[0]";?></div></td>

<td><div

align="center"><?php echo"$nipos";
$hasxipos=$hasxipos+$nipos?></div></td>

```



```
<td><div align="center"><?php $totapos=$nipos*$tpkategori[0];
$haspos=$haspos+$totapos; echo"$totapos";?></div></td>
```

```
<td><div align="center"><?php $squad=pow($nipos,2);
echo"$squad";?></div></td>
```

```
</tr>
```

```
<?php
```

```
$nipos=$nipos+2;
```

```
}
```

```
$has=$has+1;
```

```
$no++;
```

```
$totxiyi=$hasneg+$haspos;
```

```
$totxi=$hasxine+$hasxipos;
```

```
$totxikud=$totxikud+$squad;
```

```
$totalharga=$totalharga+$tpkategori[0];
```

```
}
```

```
$nil=$abprodukaja[0]+1;
```

```
$noa=$no+1-1;
```

```
?>
```

```
<tr>
```

```
<td><div align="center">Total</div></td>
```

```
<td><div align="center"></div></td>
```

```
<td><div align="center"><?php echo"$totalharga";?></div></td>
```

```

<td><div align="center"><?php echo"$totxi";?></div></td>

<td><div align="center"><?php $repxiyi=str_replace("-
","",$totxiyi); echo"$repxiyi";?></div></td>

<td><div align="center"><?php echo"$totxikud";?></div></td>

</tr>

</tbody>

</table>

<hr>
<h5>PERKIRAAN JUMLAH YANG DICARI</h5>
<hr>
<table class="table no-border hover">
<thead class="no-border">
<tr>
<th style="width:3%"><div align="center">No</div></th>
<th style="width:27%"><div align="center">Minggu</div></th>
<th style="width:70%;"><div align="center">Perkiraan Jumlah
Penjualan</div></th>
</tr>
</thead>
<?php
    $nonb=1;
    for ($i=$nil;$i<=$minggu;$i++)
    {
        switch ($i)

```

```

{
    case '1':$ket="Minggu ke
1 Bulan Januari";break;
    case '2':$ket="Minggu ke
2 Bulan Januari";break;
    case '3':$ket="Minggu ke
3 Bulan Januari";break;
    case '4':$ket="Minggu ke
4 Bulan Januari";break;
    case '5':$ket="Minggu ke
1 Bulan Februari";break;
    case '6':$ket="Minggu ke
2 Bulan Februari";break;
    case '7':$ket="Minggu ke
3 Bulan Februari";break;
    case '8':$ket="Minggu ke
4 Bulan Februari";break;
    case '9':$ket="Minggu ke
1 Bulan Maret";break;
    case '10':$ket="Minggu
ke 2 Bulan Maret";break;
    case '11':$ket="Minggu
ke 3 Bulan Maret";break;
    case '12':$ket="Minggu
ke 4 Bulan Maret";break;
    case '13':$ket="Minggu
ke 1 Bulan April";break;
    case '14':$ket="Minggu
ke 2 Bulan April";break;
    case '15':$ket="Minggu
ke 3 Bulan April";break;

```




```
ke 4 Bulan April";break;
ke 1 Bulan Mei";break;
ke 2 Bulan Mei";break;
ke 3 Bulan Mei";break;
ke 4 Bulan Mei";break;
ke 1 Bulan Juni";break;
ke 2 Bulan Juni";break;
ke 3 Bulan Juni";break;
ke 4 Bulan Juni";break;
ke 1 Bulan Juli";break;
ke 2 Bulan Juli";break;
ke 3 Bulan Juli";break;
ke 4 Bulan Juli";break;
ke 1 Bulan Agustus";break;
ke 2 Bulan Agustus";break;
```

```
case '16':$ket="Minggu
case '17':$ket="Minggu
case '18':$ket="Minggu
case '19':$ket="Minggu
case '20':$ket="Minggu
case '21':$ket="Minggu
case '22':$ket="Minggu
case '23':$ket="Minggu
case '24':$ket="Minggu
case '25':$ket="Minggu
case '26':$ket="Minggu
case '27':$ket="Minggu
case '28':$ket="Minggu
case '29':$ket="Minggu
case '30':$ket="Minggu
```

The image contains a large, semi-transparent watermark logo of Universitas Wahid Hasyim Semarang. The logo is circular with a yellow border and a green background. It features a central emblem of an open book with a quill pen resting on it, set against a blue globe. The text "UNIVERSITAS WAHID HASYIM" is written in a semi-circle at the top, and "SEMARANG" is written at the bottom. There are several yellow stars scattered around the central emblem.

```
ke 3 Bulan Agustus";break; case '31':$ket="Minggu
ke 4 Bulan Agustus";break; case '32':$ket="Minggu
ke 1 Bulan September";break; case '33':$ket="Minggu
ke 2 Bulan September";break; case '34':$ket="Minggu
ke 3 Bulan September";break; case '35':$ket="Minggu
ke 4 Bulan September";break; case '36':$ket="Minggu
ke 1 Bulan Oktober";break; case '37':$ket="Minggu
ke 2 Bulan Oktober";break; case '38':$ket="Minggu
ke 3 Bulan Oktober";break; case '39':$ket="Minggu
ke 4 Bulan Oktober";break; case '40':$ket="Minggu
ke 1 Bulan November";break; case '41':$ket="Minggu
ke 2 Bulan November";break; case '42':$ket="Minggu
ke 3 Bulan November";break; case '43':$ket="Minggu
ke 4 Bulan November";break; case '44':$ket="Minggu
ke 1 Bulan Desember";break; case '45':$ket="Minggu
```



```

ke 2 Bulan Desember";break;
ke 3 Bulan Desember";break;
ke 4 Bulan Desember";break;

case '46':$ket="Minggu
case '47':$ket="Minggu
case '48':$ket="Minggu
}
?>
<tbody class="no-border-y">
<tr>
<td><div
align="center"><strong><?php
echo"$nonb";?></strong></div></td>
<td><div
align="center"><strong><?php echo"$ket";?> Thn <?php
echo"$abprodukaja[1]";?></strong></div></td>
<td><div
align="center"><strong>?</strong></div></td>
</tr>
</tbody>
<?php
$noa++;
$nonb++;
}
?>
</table>
<hr>

```

```

<h5>PERHITUNGAN</h5>

<hr>

<?php

    $abproduktpl=mysql_fetch_row(mysql_query("Select harga
from tb_produk where id_kategori='$idkategori' and
minggu<='$minggusebelumnya' and tahun='$tahunsebelumnya' order
by minggu desc limit 1"));

        $kurno=$no-1;
        $nilaiA=ceil($totalharga/$kurno);
        echo"Nilai A= $totalharga / $kurno =
$nilaiA<br><br>";

        $nilaiB=ceil($repxiyi/$totxikud);
        echo"Nilai B= $repxiyi / $totxikud =
$nilaiB<br><br>";

        $nina=$nipos;
    ?>

<hr>

<h5>HASIL PERKIRAAN JUMLAH YANG DICARI</h5>

<hr>

<table class="table no-border hover">
<thead class="no-border">
<tr>
<th style="width:3%"><div align="center">No</div></th>
<th style="width:27%"><div align="center">Minggu</div></th>

```

```
<th style="width:40%;"><div align="center">Perkiraan Jumlah
Penjualan</div></th>
```

```
<th style="width:20%;"><div align="center">Tingkat
Kesalahan</div></th>
```

```
</tr>
```

```
</thead>
```

```
<?php
```

```

    $nana=0;
    for ($i=$nil;$i<=$minggu;$i++)
    {
        $nana++;
    }
    $nona=1;
    for ($i=$nil;$i<=$minggu;$i++)
    {
        switch ($i)
        {
            case '1':$ket="Minggu ke
1 Bulan Januari";break;
            case '2':$ket="Minggu ke
2 Bulan Januari";break;
            case '3':$ket="Minggu ke
3 Bulan Januari";break;
            case '4':$ket="Minggu ke
4 Bulan Januari";break;
            case '5':$ket="Minggu ke
1 Bulan Februari";break;
```

```

2 Bulan Februari";break;
3 Bulan Februari";break;
4 Bulan Februari";break;
1 Bulan Maret";break;
ke 2 Bulan Maret";break;
ke 3 Bulan Maret";break;
ke 4 Bulan Maret";break;
ke 1 Bulan April";break;
ke 2 Bulan April";break;
ke 3 Bulan April";break;
ke 4 Bulan April";break;
ke 1 Bulan Mei";break;
ke 2 Bulan Mei";break;
ke 3 Bulan Mei";break;
ke 4 Bulan Mei";break;
case '6':$ket="Minggu ke
case '7':$ket="Minggu ke
case '8':$ket="Minggu ke
case '9':$ket="Minggu ke
case '10':$ket="Minggu
case '11':$ket="Minggu
case '12':$ket="Minggu
case '13':$ket="Minggu
case '14':$ket="Minggu
case '15':$ket="Minggu
case '16':$ket="Minggu
case '17':$ket="Minggu
case '18':$ket="Minggu
case '19':$ket="Minggu
case '20':$ket="Minggu

```

```
ke 1 Bulan Juni";break; case '21':$ket="Minggu
ke 2 Bulan Juni";break; case '22':$ket="Minggu
ke 3 Bulan Juni";break; case '23':$ket="Minggu
ke 4 Bulan Juni";break; case '24':$ket="Minggu
ke 1 Bulan Juli";break; case '25':$ket="Minggu
ke 2 Bulan Juli";break; case '26':$ket="Minggu
ke 3 Bulan Juli";break; case '27':$ket="Minggu
ke 4 Bulan Juli";break; case '28':$ket="Minggu
ke 1 Bulan Agustus";break; case '29':$ket="Minggu
ke 2 Bulan Agustus";break; case '30':$ket="Minggu
ke 3 Bulan Agustus";break; case '31':$ket="Minggu
ke 4 Bulan Agustus";break; case '32':$ket="Minggu
ke 1 Bulan September";break; case '33':$ket="Minggu
ke 2 Bulan September";break; case '34':$ket="Minggu
ke 3 Bulan September";break; case '35':$ket="Minggu
```

```

ke 4 Bulan September";break;
ke 1 Bulan Oktober";break;
ke 2 Bulan Oktober";break;
ke 3 Bulan Oktober";break;
ke 4 Bulan Oktober";break;
ke 1 Bulan November";break;
ke 2 Bulan November";break;
ke 3 Bulan November";break;
ke 4 Bulan November";break;
ke 1 Bulan Desember";break;
ke 2 Bulan Desember";break;
ke 3 Bulan Desember";break;
ke 4 Bulan Desember";break;
case '36':$ket="Minggu
case '37':$ket="Minggu
case '38':$ket="Minggu
case '39':$ket="Minggu
case '40':$ket="Minggu
case '41':$ket="Minggu
case '42':$ket="Minggu
case '43':$ket="Minggu
case '44':$ket="Minggu
case '45':$ket="Minggu
case '46':$ket="Minggu
case '47':$ket="Minggu
case '48':$ket="Minggu
}
?>

```

```

<!--<h5>TINGKAT KESALAHAN dalam Minggu <?php //echo"$i";?> Thn
<?php //echo"$abprodukaja[1]";?></h5>-->

```



```
<hr>
```

```

    <?php
        $nona++;
        $noa++;
        $nina=$nina+2;
    }
?>
</table>
    <?php
    }
    }
    else
    {
        ?>
        <table class="table no-
border hover">
            <thead class="no-
border">
                <tr>
                    <th
style="width:3%"><div
align="center"><strong>No</strong></div></th>
                    <th
style="width:27%"><div align="center"><strong>Nama
Produk</strong></div></th>

```

```


<th
style="width:10%;"><div
align="center"><strong>Jumlah</strong></div></th>
<th
style="width:30%;"><div
align="center"><strong>Periode</strong></div></th>
<th
style="width:30%;"><div
align="center"><strong>Tindakan</strong></div></th>
</tr>
</thead>
<tbody class="no-
border-y">
<?php
$abkeb=mysql_query("Select * from tb_view_produk order by
tanggal_input asc");
$no=1;
while($tpkeb=mysql_fetch_row($abkeb))
{
?>
<tr>
<td><div align="center"><?php echo"$no";?></div></td>
<td><div align="center"><?php echo"$tpkeb[3]";?></div></td>
<td><div align="center"><?php echo"$tpkeb[10]";?></div></td>
<td><div align="center"><?php echo"Minggu Ke $tpkeb[8]";?>
Tahun <?php echo"$tpkeb[9]";?></div></td>
<td><div align="center"><a
href="listgrafik.php?idviewproduk=<?php
echo"$tpkeb[0]";?>&idkategori=<?php
echo"$tpkeb[1]";?>&idint=<?php echo"$tpkeb[2]";?>&napok=<?php
echo"$tpkeb[3]";?>&nakep=<?php echo"$tpkeb[4]";?>&minggu=<?php
echo"$tpkeb[8]";?>&tahun=<?php
echo"$tpkeb[9]";?>&nilainya=<?php
echo"$tpkeb[10]";?>&tanggalinput=<?php
echo"$tpkeb[11]";?>&minggusebelumnya=<?php
echo"$tpkeb[5]";?>&tahunsebelumnya=<?php
echo"$tpkeb[6]";?>&hargasebelumnya=<?php echo"$tpkeb[7]";?>"
target="_blank">Lihat Detail dan Grafik</a></div></td>

```

```
</tr>
<?php
$no++;
}

?>
</tbody>
</table>
<?php
}

?>
</div>
<script type="text/javascript">
    window.print();
</script>
<?php
}
else
{
    ?>
    <script type="text/javascript">
        window.location="index.php";
    </script>
    <?php
}
?>
```



Lampran 3. logout.php

```
<?php
session_start();
if(isset($_SESSION['userdb']) && isset($_SESSION['passdb']) &&
isset($_SESSION['posisidb']) && isset($_SESSION['iduser']))
{
    session_destroy();
    ?>
    <script type="text/javascript">
        window.location="index.php";
    </script>
    <?php
}
else
{
    ?>
    <script type="text/javascript">
        window.location="index.php";
    </script>
    <?php
}
?>
```

A large, semi-transparent watermark logo of Universitas Wahid Hasyim Semarang is centered on the page. The logo is circular with a scalloped border, featuring a globe in the center with an open book and a quill pen. The text 'UNIVERSITAS WAHID HASYIM' is written along the top inner edge, and 'SEMARANG' is written along the bottom inner edge. There are yellow stars around the globe.