

## **LAMPIRAN-LAMPIRAN**

### *A. Source Code*

#### 1) Sample Controller pada SuperAdminController.php

```

<?php

namespace App\Http\Controllers;
use Illuminate\Http\Request;
use App\Http\Requests;
use App\User;
use Image;

class SuperAdminController extends Controller
{
    public function index(Request $request)
    {
        $keyword = $request->get('search');
        $perPage = 25;

        if (!empty($keyword)) {
            $superadmins = User::where('name', 'LIKE', "%$keyword%")
                ->orWhere('email', 'LIKE', "%$keyword%")
                ->orWhere('alamat', 'LIKE', "%$keyword%")
                ->orWhere('tlp', 'LIKE', "%$keyword%")
                ->orWhere('nim_or_nip', 'LIKE', "%$keyword%")
                ->paginate($perPage);
        } else {
            $superadmins = User::where('superadmin','=',1)
                ->paginate($perPage);
            // $user = DB::table('users')->paginate($perPage);
        }
    }
}

```

```
        return view('superadmin.superadmin', compact('superadmins'));  
    }  
  
    /**  
     * Show the form for creating a new resource.  
     *  
     * @return \Illuminate\Http\Response  
     */  
    public function create()  
    {  
        return view('superadmin.create');  
    }  
  
    /**  
     * Store a newly created resource in storage.  
     *  
     * @param \Illuminate\Http\Request $request  
     * @return \Illuminate\Http\Response  
     */  
    public function store(Request $request)  
    {  
        $this->validate($request, [  
            'name' => 'required|max:30|unique:users,name',  
            'nim' => 'required|max:20|unique:users,nim_or_nip',  
            'password' => 'required|min:6|confirmed',  
            'email' => 'required|unique:users,email',  
            'alamat' => 'required',  
            'tlp' => 'required',  
        ]);  
        // dd('mm');  
        $superadmin = new User;
```

```

$superadmin->name      = $request->name;
$superadmin->email       = $request->email;
$superadmin->nim_or_nip   = $request->nim;
$superadmin->alamat      = $request->alamat;
$superadmin->tlp         = $request->tlp;
$superadmin->superadmin    = 1;
$superadmin->mahasiswa     = 0;
$superadmin->password      = bcrypt($request->password);
$superadmin->save();

return redirect('/superadmin')->with('message', 'super admin sudah
ditambahkan!');
}

/**
 * Display the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function show($id)
{
    $superadmin = User::where('id', $id)->first();
    return view('superadmin.single', compact('superadmin'));
}

/**
 * Show the form for editing the specified resource.
 *
 * @param int $id
 * @return \Illuminate\Http\Response

```

```

*/
public function edit($id)
{
    $superadmin = User::where('id', $id)->first();
    return view('superadmin.edit', compact('superadmin'));
}

/**
 * Update the specified resource in storage.
 *
 * @param \Illuminate\Http\Request $request
 * @param int $id
 * @return \Illuminate\Http\Response
 */
public function update(Request $request, $id)
{
    $superadmin = User::where('id',$id)->first();

    if($request->hasFile('foto')){
        $avatar = $request->file('foto');
        $filename = time().'.'.$avatar->getClientOriginalExtension();
        Image::make($avatar)->resize(300,300)->save(
            public_path('/uploads/avatars/' . $filename ));

        $superadmin->foto = $filename;
        $superadmin->update();
    }
}

$this->validate($request, [

```

```

'name'    => 'required|max:30',
'nim'     => 'required|max:20',
'alamat'  => 'required',
'tlp'      => 'required',
'email'   => 'required',
);

// dd('mm');

$superadmin->name      = $request->name;
$superadmin->email      = $request->email;
$superadmin->nim_or_nip = $request->nim;
$superadmin->alamat     = $request->alamat;
$superadmin->tlp        = $request->tlp;

// $superadmin->password = bcrypt($request->password);
if(!$request->password==0){
    $superadmin->password=bcrypt($request->password);
}
$superadmin->update();

return redirect('/superadmin')->with('message', 'superadmin sudah
diubah!');
}

/**
 * Remove the specified resource from storage.
 *
 * @param int $id
 * @return \Illuminate\Http\Response
 */

```

```

public function destroy($id)
{
    $superadmin = User::where('id', $id);

    $superadmin->delete();
    return redirect('/superadmin')->with('message', 'superadmin sudah
dihapus!');
}
}

```

2) *Sample Model pada User.php*

```

<?php

namespace App;

use Illuminate\Foundation\Auth\User as Authenticatable;
use Laratrust\Traits\LaratrustUserTrait;

class User extends Authenticatable
{

    use LaratrustUserTrait;
    /**
     * The attributes that are mass assignable.
     *
     * @var array
     */
    protected $fillable = [
        'id', 'name', 'email',
        'password', 'alamat', 'tlp', 'prodi_id', 'nim_or_nip', 'prodi',
    ];

    /**
     * The attributes that should be hidden for arrays.
     *
     * @var array
     */
    protected $hidden = [

```

```
'password', 'remember_token',  
];
```

```
public function isKordinator()  
{  
    if($this->kordinator_kp==1) {  
        return true;  
    }  
  
    return false;  
}
```

```
public function isDosenWali()  
{  
    if($this->dosen_wali==1) {  
        return true;  
    }  
  
    return false;  
}
```

```
public function isMahasiswa()  
{  
    if($this->mahasiswa==1) {  
        return true;  
    }  
  
    return false;  
}
```

```
public function isTu()  
{  
    if($this->tu==1) {  
        return true;  
    }  
  
    return false;  
}
```

```
public function isSuperadmin()  
{  
    if($this->superadmin==1) {
```

```

        return true;
    }

    return false;
}

public function prodi(){
    return $this->belongsTo('App\Prodi');
}

public function kp()
{
    return $this->hasOne('App\Kp');
}

public function getAuthPassword () {
    return $this->password;
}

```

3) *Sample View pada superadmin.blade.php*

```

@extends('adminlte::page')

@section('title', 'SIKAP')

@section('content_header')



## <i class="fa fa-file"></i> Manage Super Admin



<a href="{{ url('superadmin') }}/create" class='btn btn-primary btn-sm'> <i class="fa fa-pencil-square-o" aria-hidden="true"></i> New Super Admin</a></h2>

<a href="{{ url('superadmin') }}" class='btn btn-primary btn-sm'> <i class="fa fa-arrow-left" aria-hidden="true"></i> Back</a>

@stop

@section('content')

@if(Session::has('message'))

```

```

<div class="alert alert-dismissible alert-success">

    <button type="button" class="close" data-
dismiss="alert">&times;</button>

    {{ Session::get('message') }}

</div>

@endif

<!-- Default box -->

{ !! Form::open(['method' => 'GET', 'url' => '/superadmin', 'class' =>
'navbar-form navbar-right', 'role' => 'search']) !!}

<div class="input-group">

    <span class="input-group-btn">

        <button class="btn btn-default" type="submit">

            <i class="fa fa-refresh "></i>

        </button>

    </span>

    <input type="text" class="form-control" name="search"
placeholder="Search..." value="{{ request('search') }}">

    <span class="input-group-btn">

        <button class="btn btn-default" type="submit">

            <i class="fa fa-search"></i>

        </button>

    </span>

</div>

{ !! Form::close() !!}

<div class="box">

    <div class="box-header with-border">

```

```
<h3 class="box-title">Data superadmin</h3>

<div class="box-tools pull-right">
    <button type="button" class="btn btn-box-tool" data-
    widget="collapse" data-toggle="tooltip" title="Collapse">
        <i class="fa fa-minus"></i></button>
    <button type="button" class="btn btn-box-tool" data-
    widget="remove" data-toggle="tooltip" title="Remove">
        <i class="fa fa-times"></i></button>
    </div>
</div>

<div class="box-body">
    <div class="table-responsive">
        <table id="table_id" class="table table-striped table-
        hover">
            <thead>
                <tr>
                    <th>No</th>
                    <th>Foto</th>
                    <th>Nama</th>
                    <th>Nip</th>
                    <th>Email</th>
                    <th>Alamat</th>
                    <th>Telepon</th>
                    <th>Action</th>
                </tr>
            </thead>
```

```

<tbody>
    <tr>
        <?php $no=1; ?>
        @foreach($superadmins as $superadmin)
            <td>{{ $no++ }}</td>
            <td> </td>
            <td>{{ $superadmin->name }}</td>
            <td>{{ $superadmin->nim_or_nip }}</td>
            <td>{{ $superadmin->email }}</td>
            <td>{{ $superadmin->alamat }}</td>
            <td>{{ $superadmin->tlp }}</td>
            <td>
                <form class="" action="{{ url('superadmin') }}/{{ $superadmin->id }}"
method="post">
                    <a href="{{ url('superadmin') }}/{{ $superadmin->id }}/edit"
class="btn btn-warning btn-xs"><i class="fa fa-pencil-square-o"
aria-hidden="true"></i> Edit</a>
                    <a href="{{ url('superadmin') }}/{{ $superadmin->id }}"
class="btn btn-info btn-xs"><i class="fa fa-eye" aria-hidden="true"></i> Detail</a>
                    <input type="hidden" name="_method" value="delete">
                    <input type="hidden" name="_token" value="{{ csrf_token() }}>
                    <button onclick="return confirm('Anda yakin akan menghapus data ?');"
type="submit" class="btn btn-danger btn-xs"><i class="fa fa-trash"
aria-hidden="true"></i> Hapus</button>
                </form>
            </td>
        
```

```
</form>

</td>
</tr>

@endforeach

</tbody>
</table>

<div class="pagination-wrapper"> { !! $superadmins->appends(['search' => Request::get('search')])->render() !!}</div>

</div>
</div>

<!-- /.box-body -->

<div class="box-footer">

</div>
<!-- /.box-footer-->

</div>
<!-- /.box -->

@endsection
```

#### 4) Routing

```
<?php
Route::get('/', function () {
    return view('welcome');
});

Route::auth();

Route::get('/home', 'HomeController@index');

Route::group(['middleware' => ['auth','superadmin']], function () {
    Route::resource('tu', 'TuController');
    Route::resource('kordinator', 'KordinatorController');
});

Route::group(['middleware' => ['auth','gabung']], function () {
    Route::resource('dosenwali', 'DosenwaliController');
});

Route::resource('mahasiswa', 'MahasiswaController');
Route::resource('dosbing', 'DosbingController');

Route::resource('superadmin', 'SuperadminController');
Route::resource('prodi', 'ProdiController');
Route::resource('pejabat', 'PejabatController');

Route::get('modul/{id}', 'ModulController@index');
Route::get('modul/{id}/create', 'ModulController@create');
```

```

Route::post('modul/{id}/simpan', 'ModulController@store');

Route::get('modul/{id}/edit', 'ModulController@edit');
Route::post('modul/{id}/update', 'ModulController@update');
Route::delete('modul/{id}/delete', 'ModulController@destroy');

Route::get('modulad', 'ModulController@adindex');
Route::get('modulad/create', 'ModulController@adcreate');
Route::post('modulad/simpan', 'ModulController@adstore');
Route::delete('modulad/{id}/delete', 'ModulController@addestroy');

Route::get('kpmhs', 'DosenwaliController@kpmhs');
Route::put('konfirmasi/{id}', 'DosenwaliController@konfirmasi');
Route::put('cancel/{id}', 'DosenwaliController@cancel');
Route::get('kpmhs/{id}/detail', 'DosenwaliController@detail');

Route::resource('kp', 'KpController');
Route::get('kp/{id}/lanjutan', 'KpController@lanjutan');
Route::post('savelanjutan/{id}', 'KpController@savelanjutan');
Route::get('kp/setuju/{id}', 'KpController@setujuinstansi');
Route::post('savesetujuinstansi/{id}', 'KpController@savesetujuinstansi');
Route::get('kp/{id}/ulanglanjutan', 'KpController@ulanglanjutan');
Route::post('saveulanglanjutan/{id}', 'KpController@saveulanglanjutan');
Route::get('surat_bimbingan/{id}', 'KpController@surat_bimbingan');
Route::get('indexsurat_bimbingan',
'KpController@indexsurat_bimbingan');
Route::get('upload_revisi', 'KpController@upload_revisi');
Route::get('upload_revisiform/{id}', 'KpController@upload_revisiform');
Route::post('saveupload_revisi/{id}', 'KpController@saveupload_revisi');
Route::get('surat_selesai/{id}', 'KpController@surat_selesai');

```

```

Route::get('surat_serah/{id}', 'KpController@surat_serah');

Route::get('indextumhs', 'TuController@indexgetmhs');
Route::get('tumhs', 'TuController@getmhs');
Route::get('tumanual', 'TuController@tumanual');
Route::post('postmanual', 'TuController@postmanual');
Route::delete('hapusnimmhs/{id}', 'TuController@hapusnim');
Route::get('importnim', 'TuController@importnim');
Route::post('importexcel', 'TuController@importexcel');

Route::get('acckordinator', 'KordinatorController@acc');
Route::put('konfirm/{id}', 'KordinatorController@konfirm');
Route::put('canc/{id}', 'KordinatorController@canc');
Route::get('acckordinator/{id}/detail', 'KordinatorController@detail');
Route::delete('acckordinator/{id}', 'KordinatorController@destroykp');
Route::get('pilihdosbing/{id}', 'KordinatorController@pilihdosbing');
Route::post('savepilihdosbing/{id}', 'KordinatorController@savepilihdosbing');
Route::get('nilai', 'KordinatorController@indexnilai');
Route::get('formnilai/{id}', 'KordinatorController@formnilai');
Route::post('savenilai/{id}', 'KordinatorController@savenilai');
Route::get('detailnilai/{id}', 'KordinatorController@detailnilai');
Route::get('editnilai/{id}', 'KordinatorController@editnilai');
Route::put('saveeditnilai/{id}', 'KordinatorController@saveeditnilai');

Route::get('suratti', 'TuController@suratti');
Route::get('suratti/cetak/{id}', 'TuController@suratticetak');
Route::get('suratucapanti/cetak/{id}', 'TuController@suratucapanti');
Route::get('suratucapantm/cetak/{id}', 'TuController@suratucapantm');

```

```
Route::get('suratucapantk/cetak/{id}', 'TuController@suratucapantk');

Route::get('suratti/detail/{id}', 'TuController@surattidetail');
Route::get('surattm', 'TuController@surattm');
Route::get('surattm/cetak/{id}', 'TuController@surattmcetak');
Route::get('surattm/detail/{id}', 'TuController@surattmdetail');
Route::get('surattk', 'TuController@surattk');
Route::get('surattk/cetak/{id}', 'TuController@surattkcetak');
Route::get('surattk/detail/{id}', 'TuController@surattkdetail');

Route::get('suratperintahti', 'TuController@suratperintahti');
Route::get('suratperintahti/cetak/{id}',
'TuController@suratperintahticetak');
Route::get('suratperintahti/detail/{id}',
'TuController@suratperintahtidetail');
Route::get('suratperintahtm', 'TuController@suratperintahtm');
Route::get('suratperintahtm/cetak/{id}',
'TuController@suratperintahtmcetak');
Route::get('suratperintahtm/detail/{id}',
'TuController@suratperintahtmdetail');
Route::get('suratperintahtk', 'TuController@suratperintahtk');
Route::get('suratperintahtk/cetak/{id}',
'TuController@suratperintahtkcetak');
Route::get('suratperintahtk/detail/{id}',
'TuController@suratperintahtkdetail');

Route::get('getmhsprofil/{id}', 'ProfilController@getmhsprofil');
Route::put('mhsprofil/update', 'ProfilController@mhsprofilupdate');
Route::post('mhsprofil/updatefoto',
'ProfilController@update_avatarmhs');
```

```
Route::get('getadminprofil/{id}', 'ProfilController@getadminprofil');  
Route::put('adminprofil/update', 'ProfilController@adminprofilupdate');  
Route::post('adminprofil/updatefoto', 'ProfilController@update_avatar');
```

```
Route::get('getwaliprofil/{id}', 'ProfilController@getwaliprofil');  
Route::put('waliprofil/update', 'ProfilController@waliprofilupdate');  
Route::post('waliprofil/updatefoto',  
'ProfilController@update_avatarwali');
```

```
Route::get('getkordinatorprofil/{id}',  
'ProfilController@getkordinatorprofil');  
Route::put('kordinatorprofil/update',  
'ProfilController@kordinatorprofilupdate');  
Route::post('kordinatorprofil/updatefoto',  
'ProfilController@update_avatarkordinator');
```

```
Route::get('gettuprofil/{id}', 'ProfilController@gettuprofil');  
Route::put('tuprofil/update', 'ProfilController@tuprofilupdate');  
Route::post('tuprofil/updatefoto', 'ProfilController@update_avatartu');
```

```
Route::get('modulku', 'ModulController@modulmhs');  
Route::get('modultm', 'ModulController@modultm');  
Route::get('modultk', 'ModulController@modultk');
```