

Lampiran 3

OLAH DATA
LAMPIRAN
PENGOLAHAN DATA

Frequencies

	N		Mean	Median	Mode	Std. Deviation	Minimum	Maximum
	Valid	Missing						
X1.1	72	0	3.92	4.00	4	.622	3	5
X1.2	72	0	4.04	4.00	4	.615	3	5
X1.3	72	0	4.00	4.00	4	.581	3	5
X1.4	72	0	4.03	4.00	4	.604	3	5
X1.5	72	0	3.85	4.00	4	.781	2	5
X1.6	72	0	3.86	4.00	4	.793	2	5
X1.7	72	0	3.86	4.00	4	.844	1	5
X1.8	72	0	3.94	4.00	4	.767	2	5
X1.9	72	0	4.14	4.00	4	.698	2	5
X1.10	72	0	4.04	4.00	4	.680	2	5
X1.11	72	0	4.36	4.00	4	.512	3	5
X1.12	72	0	4.31	4.00	4	.493	3	5
Kompetensi	72	0	4.0293	4.0000	3.92	.43153	3.00	5.00

Frequency Table**X1.1**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	17	23.6	23.6	23.6
4	44	61.1	61.1	84.7
5	11	15.3	15.3	100.0
Total	72	100.0	100.0	

X1.2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	12	16.7	16.7	16.7
4	45	62.5	62.5	79.2
5	15	20.8	20.8	100.0
Total	72	100.0	100.0	

X1.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	12	16.7	16.7	16.7
	4	48	66.7	66.7	83.3
	5	12	16.7	16.7	100.0
	Total	72	100.0	100.0	

X1.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	12	16.7	16.7	16.7
	4	46	63.9	63.9	80.6
	5	14	19.4	19.4	100.0
	Total	72	100.0	100.0	

X1.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	2	2.8	2.8	2.8
	3	22	30.6	30.6	33.3
	4	33	45.8	45.8	79.2
	5	15	20.8	20.8	100.0
	Total	72	100.0	100.0	

X1.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	4	5.6	5.6	5.6
	3	16	22.2	22.2	27.8
	4	38	52.8	52.8	80.6
	5	14	19.4	19.4	100.0
	Total	72	100.0	100.0	

X1.7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	2	2.8	2.8	2.8
	3	19	26.4	26.4	29.2
	4	36	50.0	50.0	79.2
	5	15	20.8	20.8	100.0
	Total	72	100.0	100.0	

X1.8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	1.4	1.4	1.4
	3	20	27.8	27.8	29.2
	4	33	45.8	45.8	75.0
	5	18	25.0	25.0	100.0
	Total	72	100.0	100.0	

X1.9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	2	2.8	2.8	2.8
	3	7	9.7	9.7	12.5
	4	42	58.3	58.3	70.8
	5	21	29.2	29.2	100.0
	Total	72	100.0	100.0	

X1.10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	2	2.8	2.8	2.8
	3	9	12.5	12.5	15.3
	4	45	62.5	62.5	77.8
	5	16	22.2	22.2	100.0
	Total	72	100.0	100.0	

X1.11

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	1	1.4	1.4	1.4
4	44	61.1	61.1	62.5
5	27	37.5	37.5	100.0
Total	72	100.0	100.0	

X1.12

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	1	1.4	1.4	1.4
4	48	66.7	66.7	68.1
5	23	31.9	31.9	100.0
Total	72	100.0	100.0	

Frequencies

Statistics

	N		Mean	Median	Mode	Std. Deviation	Minimum	Maximum
	Valid	Missing						
X2.1	72	0	4.22	4.00	4	.610	3	5
X2.2	72	0	4.24	4.00	4	.682	3	5
X2.3	72	0	4.18	4.00	4	.589	3	5
X2.4	72	0	4.19	4.00	4	.642	3	5
X2.5	72	0	4.22	4.00	4	.610	3	5
X2.6	72	0	4.35	4.00	4	.653	3	5
X2.7	72	0	4.14	4.00	4	.612	3	5
Independens	72	0	4.2199	4.1400	4.00	.53693	3.00	5.00

Frequency Table

X2.1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	7	9.7	9.7	9.7
4	42	58.3	58.3	68.1
5	23	31.9	31.9	100.0
Total	72	100.0	100.0	

X2.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	10	13.9	13.9	13.9
	4	35	48.6	48.6	62.5
	5	27	37.5	37.5	100.0
	Total	72	100.0	100.0	

X2.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	7	9.7	9.7	9.7
	4	45	62.5	62.5	72.2
	5	20	27.8	27.8	100.0
	Total	72	100.0	100.0	

X2.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	9	12.5	12.5	12.5
	4	40	55.6	55.6	68.1
	5	23	31.9	31.9	100.0
	Total	72	100.0	100.0	

X2.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	7	9.7	9.7	9.7
	4	42	58.3	58.3	68.1
	5	23	31.9	31.9	100.0
	Total	72	100.0	100.0	

X2.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	7	9.7	9.7	9.7
	4	33	45.8	45.8	55.6
	5	32	44.4	44.4	100.0
	Total	72	100.0	100.0	

X2.7

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	9	12.5	12.5	12.5
4	44	61.1	61.1	73.6
5	19	26.4	26.4	100.0
Total	72	100.0	100.0	

Frequencies

	N		Mean	Median	Mode	Std. Deviation	Minimum	Maximum
	Valid	Missing						
X3.1	72	0	4.42	4.00	4	.575	3	5
X3.2	72	0	4.43	4.00	4	.552	3	5
X3.3	72	0	4.42	4.00	4	.575	3	5
X3.4	72	0	4.47	4.00	4	.530	3	5
X3.5	72	0	4.53	5.00	5	.503	4	5
X3.6	72	0	4.60	5.00	5	.494	4	5
X3.7	72	0	4.50	5.00	5	.531	3	5
X3.8	72	0	4.54	5.00	5	.529	3	5
X3.9	72	0	4.38	4.00	4	.516	3	5
X3.10	72	0	4.19	4.00	4	.664	2	5
X3.11	72	0	4.33	4.00	4	.605	2	5
X3.12	72	0	4.32	4.00	4	.470	4	5
X3.13	72	0	4.33	4.00	4	.504	3	5
X3.14	72	0	4.04	4.00	4	.740	3	5
Integritas	72	0	4.3926	4.2900	4.14 ^a	.35808	3.71	5.00

a. Multiple modes exist. The smallest value is shown

Frequency Table**X3.1**

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	3	4.2	4.2	4.2
4	36	50.0	50.0	54.2
5	33	45.8	45.8	100.0
Total	72	100.0	100.0	

X3.2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	2.8	2.8	2.8
	4	37	51.4	51.4	54.2
	5	33	45.8	45.8	100.0
	Total	72	100.0	100.0	

X3.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	3	4.2	4.2	4.2
	4	36	50.0	50.0	54.2
	5	33	45.8	45.8	100.0
	Total	72	100.0	100.0	

X3.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.4	1.4	1.4
	4	36	50.0	50.0	51.4
	5	35	48.6	48.6	100.0
	Total	72	100.0	100.0	

X3.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	34	47.2	47.2	47.2
	5	38	52.8	52.8	100.0
	Total	72	100.0	100.0	

X3.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	29	40.3	40.3	40.3
	5	43	59.7	59.7	100.0
	Total	72	100.0	100.0	

X3.7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.4	1.4	1.4
	4	34	47.2	47.2	48.6
	5	37	51.4	51.4	100.0
	Total	72	100.0	100.0	

X3.8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.4	1.4	1.4
	4	31	43.1	43.1	44.4
	5	40	55.6	55.6	100.0
	Total	72	100.0	100.0	

X3.9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.4	1.4	1.4
	4	43	59.7	59.7	61.1
	5	28	38.9	38.9	100.0
	Total	72	100.0	100.0	

X3.10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	1.4	1.4	1.4
	3	7	9.7	9.7	11.1
	4	41	56.9	56.9	68.1
	5	23	31.9	31.9	100.0
	Total	72	100.0	100.0	

X3.11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	2	1	1.4	1.4	1.4
	3	2	2.8	2.8	4.2
	4	41	56.9	56.9	61.1
	5	28	38.9	38.9	100.0
	Total	72	100.0	100.0	

X3.12

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	49	68.1	68.1	68.1
	5	23	31.9	31.9	100.0
	Total	72	100.0	100.0	

X3.13

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.4	1.4	1.4
	4	46	63.9	63.9	65.3
	5	25	34.7	34.7	100.0
	Total	72	100.0	100.0	

X3.14

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	18	25.0	25.0	25.0
	4	33	45.8	45.8	70.8
	5	21	29.2	29.2	100.0
	Total	72	100.0	100.0	

Frequencies

Statistics

	N		Mean	Median	Mode	Std. Deviation	Minimum	Maximum
	Valid	Missing						
X4.1	72	0	3.94	4.00	4	.648	3	5
X4.2	72	0	4.08	4.00	4	.707	3	5
X4.3	72	0	4.00	4.00	4	.671	3	5
X4.4	72	0	4.07	4.00	4	.793	3	5
X4.5	72	0	3.85	4.00	4	.744	3	5
X4.6	72	0	3.90	4.00	4	.695	3	5
Akunabilitas	72	0	3.9746	4.0000	4.00	.57356	3.00	5.00

Frequency Table

X4.1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	17	23.6	23.6	23.6
4	42	58.3	58.3	81.9
5	13	18.1	18.1	100.0
Total	72	100.0	100.0	

X4.2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	15	20.8	20.8	20.8
4	36	50.0	50.0	70.8
5	21	29.2	29.2	100.0
Total	72	100.0	100.0	

X4.3

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	16	22.2	22.2	22.2
4	40	55.6	55.6	77.8
5	16	22.2	22.2	100.0
Total	72	100.0	100.0	

X4.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	20	27.8	27.8	27.8
	4	27	37.5	37.5	65.3
	5	25	34.7	34.7	100.0
	Total	72	100.0	100.0	

X4.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	26	36.1	36.1	36.1
	4	31	43.1	43.1	79.2
	5	15	20.8	20.8	100.0
	Total	72	100.0	100.0	

X4.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	21	29.2	29.2	29.2
	4	37	51.4	51.4	80.6
	5	14	19.4	19.4	100.0
	Total	72	100.0	100.0	

Frequencies

	N		Mean	Median	Mode	Std. Deviation	Minimum	Maximum
	Valid	Missing						
X5.1	72	0	4.28	4.00	4	.587	3	5
X5.2	72	0	4.24	4.00	4	.831	1	5
X5.3	72	0	4.22	4.00	4	.736	1	5
X5.4	72	0	4.26	4.00	4	.581	3	5
X5.5	72	0	4.38	4.00	4	.488	4	5
X5.6	72	0	4.35	4.00	4	.535	3	5
X5.7	72	0	4.46	4.00	4	.502	4	5
X5.8	72	0	4.40	4.00	4	.548	3	5
X5.9	72	0	4.32	4.00	4	.552	3	5
X5.10	72	0	4.36	4.00	4	.484	4	5
X5.11	72	0	4.38	4.00	4	.488	4	5
X5.12	72	0	4.42	4.00	4	.496	4	5
X5.13	72	0	4.33	4.00	4	.531	3	5
Etika Auditor	72	0	4.3386	4.2300	4.08	.34132	3.69	5.00

Frequency Table

X5.1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	5	6.9	6.9	6.9
4	42	58.3	58.3	65.3
5	25	34.7	34.7	100.0
Total	72	100.0	100.0	

X5.2

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 1	2	2.8	2.8	2.8
2	1	1.4	1.4	4.2
3	3	4.2	4.2	8.3
4	38	52.8	52.8	61.1
5	28	38.9	38.9	100.0
Total	72	100.0	100.0	

X5.3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	1	1	1.4	1.4	1.4
	2	1	1.4	1.4	2.8
	3	4	5.6	5.6	8.3
	4	41	56.9	56.9	65.3
	5	25	34.7	34.7	100.0
	Total	72	100.0	100.0	

X5.4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	5	6.9	6.9	6.9
	4	43	59.7	59.7	66.7
	5	24	33.3	33.3	100.0
	Total	72	100.0	100.0	

X5.5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	45	62.5	62.5	62.5
	5	27	37.5	37.5	100.0
	Total	72	100.0	100.0	

X5.6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	2.8	2.8	2.8
	4	43	59.7	59.7	62.5
	5	27	37.5	37.5	100.0
	Total	72	100.0	100.0	

X5.7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	39	54.2	54.2	54.2
	5	33	45.8	45.8	100.0
	Total	72	100.0	100.0	

X5.8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	2	2.8	2.8	2.8
	4	39	54.2	54.2	56.9
	5	31	43.1	43.1	100.0
	Total	72	100.0	100.0	

X5.9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	3	4.2	4.2	4.2
	4	43	59.7	59.7	63.9
	5	26	36.1	36.1	100.0
	Total	72	100.0	100.0	

X5.10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	46	63.9	63.9	63.9
	5	26	36.1	36.1	100.0
	Total	72	100.0	100.0	

X5.11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	45	62.5	62.5	62.5
	5	27	37.5	37.5	100.0
	Total	72	100.0	100.0	

X5.12

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	4	42	58.3	58.3	58.3
	5	30	41.7	41.7	100.0
	Total	72	100.0	100.0	

X5.13

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	2	2.8	2.8	2.8
4	44	61.1	61.1	63.9
5	26	36.1	36.1	100.0
Total	72	100.0	100.0	

Frequencies

Statistics

	N		Mean	Median	Mode	Std. Deviation	Minimum	Maximum
	Valid	Missing						
Y1	72	0	4.36	4.00	5	.657	3	5
Y2	72	0	4.36	4.00	4	.564	3	5
Y3	72	0	4.38	4.00	4	.592	3	5
Y4	72	0	4.40	4.00	4	.573	3	5
Y5	72	0	4.38	4.00	4	.568	3	5
Y6	72	0	4.38	4.00	4	.568	3	5
Y7	72	0	4.36	4.00	4	.564	3	5
Y8	72	0	4.42	4.00	4	.575	3	5
Y9	72	0	4.50	5.00	5	.531	3	5
Y10	72	0	4.53	5.00	5	.530	3	5
Y11	72	0	4.46	4.00	4	.529	3	5
Y12	72	0	4.58	5.00	5	.524	3	5
Kualitas Audit	72	0	4.4249	4.4200	5.00	.41498	3.00	5.00

Frequency Table

Y1

	Frequency	Percent	Valid Percent	Cumulative Percent
Valid 3	7	9.7	9.7	9.7
4	32	44.4	44.4	54.2
5	33	45.8	45.8	100.0
Total	72	100.0	100.0	

Y2

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	3	4.2	4.2	4.2
	4	40	55.6	55.6	59.7
	5	29	40.3	40.3	100.0
	Total	72	100.0	100.0	

Y3

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	4	5.6	5.6	5.6
	4	37	51.4	51.4	56.9
	5	31	43.1	43.1	100.0
	Total	72	100.0	100.0	

Y4

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	3	4.2	4.2	4.2
	4	37	51.4	51.4	55.6
	5	32	44.4	44.4	100.0
	Total	72	100.0	100.0	

Y5

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	3	4.2	4.2	4.2
	4	39	54.2	54.2	58.3
	5	30	41.7	41.7	100.0
	Total	72	100.0	100.0	

Y6

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	3	4.2	4.2	4.2
	4	39	54.2	54.2	58.3
	5	30	41.7	41.7	100.0
	Total	72	100.0	100.0	

Y7

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	3	4.2	4.2	4.2
	4	40	55.6	55.6	59.7
	5	29	40.3	40.3	100.0
	Total	72	100.0	100.0	

Y8

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	3	4.2	4.2	4.2
	4	36	50.0	50.0	54.2
	5	33	45.8	45.8	100.0
	Total	72	100.0	100.0	

Y9

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.4	1.4	1.4
	4	34	47.2	47.2	48.6
	5	37	51.4	51.4	100.0
	Total	72	100.0	100.0	

Y10

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.4	1.4	1.4
	4	32	44.4	44.4	45.8
	5	39	54.2	54.2	100.0
	Total	72	100.0	100.0	

Y11

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.4	1.4	1.4
	4	37	51.4	51.4	52.8
	5	34	47.2	47.2	100.0
	Total	72	100.0	100.0	

Y12

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	3	1	1.4	1.4	1.4
	4	28	38.9	38.9	40.3
	5	43	59.7	59.7	100.0
	Total	72	100.0	100.0	

Factor Analysis

KMO and Bartlett's Test

Kaiser-Meyer-Olkin Measure of Sampling Adequacy.		.776
Bartlett's Test of Sphericity	Approx. Chi-Square	466.577
	df	66
	Sig.	.000

Communalities

	Initial	Extraction
X1.1	1.000	.322
X1.2	1.000	.313
X1.3	1.000	.509
X1.4	1.000	.645
X1.5	1.000	.494
X1.6	1.000	.332
X1.7	1.000	.419
X1.8	1.000	.432
X1.9	1.000	.477
X1.10	1.000	.524
X1.11	1.000	.296
X1.12	1.000	.280

Extraction Method: Principal Component Analysis.

Total Variance Explained

Component	Initial Eigenvalues			Extraction Sums of Squared Loadings		
	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %
1	5.043	42.028	42.028	5.043	42.028	42.028
2	1.744	14.536	56.564			
3	1.285	10.710	67.275			
4	.978	8.148	75.423			
5	.731	6.091	81.514			
6	.664	5.532	87.046			
7	.440	3.671	90.717			
8	.329	2.746	93.462			
9	.264	2.202	95.664			
10	.232	1.937	97.601			
11	.195	1.624	99.226			
12	.093	.774	100.000			


Extraction Method: Principal Component Analysis.

Component Matrix^a

	Component
	1
X1.1	.568
X1.2	.560
X1.3	.713
X1.4	.803
X1.5	.703
X1.6	.576
X1.7	.648
X1.8	.658
X1.9	.691
X1.10	.724
X1.11	.544
X1.12	.529

Extraction Method:
Principal Component
Analysis.

a. 1 components extracted.



Factor Analysis

KMO and Bartlett's Test

Kaiser-Meyer-Olkin Measure of Sampling Adequacy.		.896
Bartlett's Test of Sphericity	Approx. Chi-Square	408.982
	df	21
	Sig.	.000

Communalities

	Initial	Extraction
X2.1	1.000	.803
X2.2	1.000	.717
X2.3	1.000	.754
X2.4	1.000	.768
X2.5	1.000	.713
X2.6	1.000	.732
X2.7	1.000	.633

Extraction Method: Principal Component Analysis.

Total Variance Explained

Component	Initial Eigenvalues			Extraction Sums of Squared Loadings		
	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %
1	5.120	73.136	73.136	5.120	73.136	73.136
2	.578	8.257	81.393			
3	.434	6.196	87.589			
4	.290	4.149	91.738			
5	.267	3.809	95.547			
6	.164	2.345	97.891			
7	.148	2.109	100.000			

Extraction Method: Principal Component Analysis.

Component Matrix^a

	Component
	1
X2.1	.896
X2.2	.847
X2.3	.868
X2.4	.876
X2.5	.844
X2.6	.856
X2.7	.795

Extraction Method:
Principal Component
Analysis.

a. 1 components
extracted.



Factor Analysis

KMO and Bartlett's Test

Kaiser-Meyer-Olkin Measure of Sampling Adequacy.		.715
Bartlett's Test of Sphericity	Approx. Chi-Square	576.895
	df	91
	Sig.	.000

Communalities

	Initial	Extraction
X3.1	1.000	.323
X3.2	1.000	.510
X3.3	1.000	.330
X3.4	1.000	.356
X3.5	1.000	.203
X3.6	1.000	.445
X3.7	1.000	.307
X3.8	1.000	.241
X3.9	1.000	.528
X3.10	1.000	.617
X3.11	1.000	.487
X3.12	1.000	.669
X3.13	1.000	.523
X3.14	1.000	.373

Extraction Method: Principal Component Analysis.

Total Variance Explained

Component	Initial Eigenvalues			Extraction Sums of Squared Loadings		
	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %
1	5.913	42.237	42.237	5.913	42.237	42.237
2	1.658	11.844	54.080			
3	1.393	9.948	64.028			
4	.981	7.006	71.034			
5	.825	5.894	76.928			
6	.781	5.579	82.507			
7	.584	4.172	86.679			
8	.531	3.794	90.474			
9	.399	2.852	93.326			
10	.336	2.403	95.729			
11	.195	1.390	97.119			
12	.180	1.285	98.403			
13	.136	.975	99.378			
14	.087	.622	100.000			

Total Variance Explained

Component	Initial Eigenvalues			Extraction Sums of Squared Loadings		
	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %
1	5.913	42.237	42.237	5.913	42.237	42.237
2	1.658	11.844	54.080			
3	1.393	9.948	64.028			
4	.981	7.006	71.034			
5	.825	5.894	76.928			
6	.781	5.579	82.507			
7	.584	4.172	86.679			
8	.531	3.794	90.474			
9	.399	2.852	93.326			
10	.336	2.403	95.729			
11	.195	1.390	97.119			
12	.180	1.285	98.403			
13	.136	.975	99.378			

Extraction Method: Principal Component Analysis.

Component Matrix^a

	Component
	1
X3.1	.569
X3.2	.714
X3.3	.575
X3.4	.597
X3.5	.451
X3.6	.667
X3.7	.554
X3.8	.491
X3.9	.727
X3.10	.786
X3.11	.698
X3.12	.818
X3.13	.723
X3.14	.611

Extraction Method:
Principal Component
Analysis.

a. 1 components extracted.

Factor Analysis

KMO and Bartlett's Test

Kaiser-Meyer-Olkin Measure of Sampling Adequacy.		.858
Bartlett's Test of Sphericity	Approx. Chi-Square	243.196
	df	15
	Sig.	.000

Communalities

	Initial	Extraction
X4.1	1.000	.711
X4.2	1.000	.673
X4.3	1.000	.800
X4.4	1.000	.595
X4.5	1.000	.553
X4.6	1.000	.620

Extraction Method: Principal Component Analysis.

Total Variance Explained

Component	Initial Eigenvalues			Extraction Sums of Squared Loadings		
	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %
1	3.952	65.870	65.870	3.952	65.870	65.870
2	.695	11.588	77.459			
3	.518	8.631	86.090			
4	.373	6.216	92.305			
5	.241	4.022	96.328			
6	.220	3.672	100.000			

Extraction Method: Principal Component Analysis.

Component Matrix^a

	Component
	1
X4.1	.843
X4.2	.820
X4.3	.895
X4.4	.772
X4.5	.744
X4.6	.787

Extraction Method:
Principal Component
Analysis.

a. 1 components
extracted.

Factor Analysis

KMO and Bartlett's Test

Kaiser-Meyer-Olkin Measure of Sampling Adequacy.		.700
Bartlett's Test of Sphericity	Approx. Chi-Square	421.056
	df	78
	Sig.	.000

Communalities

	Initial	Extraction
X5.1	1.000	.475
X5.2	1.000	.213
X5.3	1.000	.368
X5.4	1.000	.395
X5.5	1.000	.271
X5.6	1.000	.283
X5.7	1.000	.354
X5.8	1.000	.229
X5.9	1.000	.351
X5.10	1.000	.525
X5.11	1.000	.439
X5.12	1.000	.347
X5.13	1.000	.512

Extraction Method: Principal Component Analysis.

Total Variance Explained

Component	Initial Eigenvalues			Extraction Sums of Squared Loadings		
	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %
1	4.762	36.631	36.631	4.762	36.631	36.631
2	1.813	13.946	50.577			
3	1.649	12.683	63.260			
4	.881	6.778	70.038			
5	.779	5.992	76.030			
6	.668	5.142	81.172			
7	.587	4.512	85.684			
8	.561	4.313	89.997			
9	.436	3.355	93.351			
10	.290	2.232	95.584			
11	.268	2.062	97.645			
12	.176	1.353	98.999			
13	.130	1.001	100.000			


Extraction Method: Principal Component Analysis.

Component Matrix^a

	Component
	1
X5.1	.689
X5.2	.461
X5.3	.606
X5.4	.629
X5.5	.521
X5.6	.532
X5.7	.595
X5.8	.478
X5.9	.592
X5.10	.725
X5.11	.663
X5.12	.589
X5.13	.716

Extraction Method:
Principal Component
Analysis.

a. 1 components extracted.



Factor Analysis

KMO and Bartlett's Test

Kaiser-Meyer-Olkin Measure of Sampling Adequacy.		.823
Bartlett's Test of Sphericity	Approx. Chi-Square	767.256
	df	66
	Sig.	.000

Communalities

	Initial	Extraction
Y1	1.000	.459
Y2	1.000	.668
Y3	1.000	.596
Y4	1.000	.674
Y5	1.000	.638
Y6	1.000	.714
Y7	1.000	.680
Y8	1.000	.686
Y9	1.000	.401
Y10	1.000	.460
Y11	1.000	.329
Y12	1.000	.249

Extraction Method: Principal Component Analysis.

Total Variance Explained

Component	Initial Eigenvalues			Extraction Sums of Squared Loadings		
	Total	% of Variance	Cumulative %	Total	% of Variance	Cumulative %
1	6.555	54.624	54.624	6.555	54.624	54.624
2	2.261	18.844	73.468			
3	.917	7.641	81.109			
4	.597	4.971	86.080			
5	.392	3.263	89.343			
6	.304	2.532	91.875			
7	.277	2.306	94.180			
8	.215	1.794	95.974			
9	.181	1.504	97.478			
10	.143	1.191	98.670			
11	.092	.771	99.440			
12	.067	.560	100.000			


Extraction Method: Principal Component Analysis.

Component Matrix^a

	Component
	1
Y1	.678
Y2	.817
Y3	.772
Y4	.821
Y5	.799
Y6	.845
Y7	.825
Y8	.829
Y9	.633
Y10	.678
Y11	.574
Y12	.499

Extraction Method:
Principal Component
Analysis.

a. 1 components extracted.



Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	72	100.0
	Excluded ^a	0	.0
	Total	72	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.869	12

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X1.1	44.43	23.573	.478	.863
X1.2	44.31	23.736	.456	.864
X1.3	44.35	23.019	.626	.855
X1.4	44.32	22.333	.727	.849
X1.5	44.50	21.690	.625	.854
X1.6	44.49	22.451	.502	.863
X1.7	44.49	21.634	.573	.858
X1.8	44.40	22.019	.589	.856
X1.9	44.21	22.449	.591	.856
X1.10	44.31	22.243	.646	.853
X1.11	43.99	24.324	.448	.865
X1.12	44.04	24.491	.433	.865

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	72	100.0
	Excluded ^a	0	.0
	Total	72	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.938	7

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X2.1	25.32	10.418	.850	.924
X2.2	25.31	10.243	.786	.930
X2.3	25.36	10.656	.815	.927
X2.4	25.35	10.314	.827	.926
X2.5	25.32	10.643	.784	.930
X2.6	25.19	10.356	.798	.928
X2.7	25.40	10.835	.727	.935

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	72	100.0
	Excluded ^a	0	.0
	Total	72	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.888	14

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X3.1	57.08	22.106	.492	.884
X3.2	57.07	21.615	.619	.878
X3.3	57.08	21.993	.514	.883
X3.4	57.03	22.225	.519	.883
X3.5	56.97	22.872	.410	.887
X3.6	56.90	22.117	.589	.880
X3.7	57.00	22.451	.470	.885
X3.8	56.96	22.717	.417	.887
X3.9	57.12	21.773	.636	.878
X3.10	57.31	20.272	.734	.872
X3.11	57.17	21.296	.615	.878
X3.12	57.18	21.558	.761	.873
X3.13	57.17	21.718	.666	.876
X3.14	57.46	20.871	.544	.883

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	72	100.0
	Excluded ^a	0	.0
	Total	72	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.893	6

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X4.1	19.90	8.568	.755	.868
X4.2	19.76	8.408	.717	.873
X4.3	19.85	8.216	.827	.857
X4.4	19.78	8.175	.672	.882
X4.5	20.00	8.507	.642	.885
X4.6	19.94	8.560	.690	.877

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	72	100.0
	Excluded ^a	0	.0
	Total	72	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.845	13

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
X5.1	52.11	16.044	.658	.822
X5.2	52.15	16.019	.417	.845
X5.3	52.17	15.690	.557	.830
X5.4	52.12	16.590	.539	.831
X5.5	52.01	17.366	.462	.836
X5.6	52.04	17.252	.437	.837
X5.7	51.93	17.192	.489	.834
X5.8	51.99	17.338	.404	.840
X5.9	52.07	17.023	.472	.835
X5.10	52.03	16.901	.590	.829
X5.11	52.01	17.141	.521	.833
X5.12	51.97	17.351	.455	.836
X5.13	52.06	16.673	.583	.828

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	72	100.0
	Excluded ^a	0	.0
	Total	72	100.0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
.922	12

Item-Total Statistics

	Scale Mean if Item Deleted	Scale Variance if Item Deleted	Corrected Item-Total Correlation	Cronbach's Alpha if Item Deleted
Y1	48.74	20.704	.612	.919
Y2	48.74	20.591	.758	.912
Y3	48.72	20.654	.704	.914
Y4	48.69	20.553	.753	.912
Y5	48.72	20.739	.722	.913
Y6	48.72	20.457	.782	.911
Y7	48.74	20.563	.764	.912
Y8	48.68	20.474	.766	.912
Y9	48.60	21.596	.591	.919
Y10	48.57	21.375	.640	.917
Y11	48.64	21.840	.541	.921
Y12	48.51	22.225	.464	.924

NPar Tests

One-Sample Kolmogorov-Smirnov Test

		Unstandardized Residual
N		72
Normal Parameters ^a	Mean	.0000000
	Std. Deviation	.30145459
Most Extreme Differences	Absolute	.077
	Positive	.061
	Negative	-.077
Kolmogorov-Smirnov Z		.653
Asymp. Sig. (2-tailed)		.787

a. Test distribution is Normal.



Regression

Variables Entered/Removed^d

Model	Variables Entered	Variables Removed	Method
1	Etika Auditor, Independensi, Kompetensi, Akunatbilas, Integritas ^a		Enter

a. All requested variables entered.

b. Dependent Variable: Kualitas Audit

Model Summary^b

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.687 ^a	.472	.432	.31266

a. Predictors: (Constant), Etika Auditor, Independensi, Kompetensi, Akunatbilas, Integritas

b. Dependent Variable: Kualitas Audit

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	5.775	5	1.155	11.814	.000 ^a
	Residual	6.452	66	.098		
	Total	12.227	71			

a. Predictors: (Constant), Etika Auditor, Independensi, Kompetensi, Akunatbilas, Integritas

b. Dependent Variable: Kualitas Audit

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	-1.758	.889		-1.978	.052		
	Kompetensi	.189	.089	.196	2.133	.037	.943	1.060
	Independensi	.261	.070	.338	3.704	.000	.963	1.038
	Integritas	.277	.107	.239	2.579	.012	.930	1.075
	Akunatbilas	.200	.067	.276	3.001	.004	.943	1.060
	Etika Auditor	.532	.109	.438	4.862	.000	.986	1.014

a. Dependent Variable: Kualitas Audit

Collinearity Diagnostics^a

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions					
				(Constant)	Kompetensi	Independensi	Integritas	Akuntabilitas	Etika Auditor
1	1	5.951	1.000	.00	.00	.00	.00	.00	.00
	2	.018	18.280	.00	.01	.00	.05	.81	.02
	3	.014	20.677	.00	.02	.89	.03	.06	.01
	4	.010	23.907	.00	.71	.00	.15	.05	.00
	5	.006	31.853	.00	.13	.00	.26	.00	.69
	6	.001	66.058	.99	.13	.10	.51	.08	.28

a. Dependent Variable: Kualitas Audit

Residuals Statistics^a


	Minimum	Maximum	Mean	Std. Deviation	N
Predicted Value	3.8981	5.0550	4.4249	.28520	72
Std. Predicted Value	-1.847	2.210	.000	1.000	72
Standard Error of Predicted Value	.043	.146	.088	.020	72
Adjusted Predicted Value	3.9244	5.0882	4.4249	.28699	72
Residual	-1.02951	.66117	.00000	.30145	72
Std. Residual	-3.293	2.115	.000	.964	72
Stud. Residual	-3.450	2.146	.000	1.004	72
Deleted Residual	-1.13027	.68083	.00000	.32696	72
Stud. Deleted Residual	-3.782	2.208	-.007	1.032	72
Mahal. Distance	.368	14.456	4.931	2.546	72
Cook's Distance	.000	.194	.014	.028	72
Centered Leverage Value	.005	.204	.069	.036	72


a. Dependent Variable: Kualitas Audit

Charts

Histogram


Dependent Variable: Kualitas Audit



Normal P-P Plot of Regression Standardized Residual

Scatterplot

Dependent Variable: Kualitas Audit



Regression

Variables Entered/Removed^b

Model	Variables Entered	Variables Removed	Method
1	Etika Auditor, Independensi, Kompetensi, Akunatbilias, Integritas ^a		Enter

a. All requested variables entered.

b. Dependent Variable: absut

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.274 ^a	.075	.005	.18946

a. Predictors: (Constant), Etika Auditor, Independensi, Kompetensi, Akunatbilias, Integritas

ANOVA^b

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	.193	5	.039	1.074	.383 ^a
	Residual	2.369	66	.036		
	Total	2.562	71			

a. Predictors: (Constant), Etika Auditor, Independensi, Kompetensi, Akunatbilias, Integritas

b. Dependent Variable: absut

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.
		B	Std. Error	Beta		
1	(Constant)	.584	.539		1.085	.282
	Kompetensi	-.069	.054	-.157	-1.285	.203
	Independensi	.011	.043	.031	.259	.796
	Integritas	-.069	.065	-.130	-1.060	.293
	Akunatbilias	.062	.040	.188	1.541	.128
	Etika Auditor	-.015	.066	-.027	-.226	.822

a. Dependent Variable: absut