# DAFTAR PUSTAKA


Ahmad, A.R., Elya, B., Mun'im, A., 2017, Antioxidant Activity and Isolation of Xanthine Oxidase Inhibitor from *Ruellia tuberosa* L. Leaves. *Pharmacogn J*, Vol. 9 (5), 607-10.

Aji, R.M., 2014, Uji Aktivitas Antioksidan Pada Ekstrak Daging Lidah Buaya *(Aloe vera)* Menggunakan Metode DPPH (1,1-Diphenyl-2-Picrylhydrazyl), *Skripsi*, Fakultas Kedokteran, Universitas Islam Negeri Syarif Hidayatullah Jakarta, Jakarta.

Ansel, H.C., 1989, *Pengantar Bentuk Sediaan Farmasi Edisi Keempat*, Penerbit Universitas Indonesia Press, Jakarta, 412-413.

Arief, S., 2007, *Radikal Bebas*. Ilmu Kesehatan Anak FK UNAIR, Surabaya. Diakses dari http://docplayer.info/405738-Radikal-bebas-sjamsul-arief-bagian-smf-ilmu-kesehatan-anak-fk-unair-rsu-dr-soetomo-surabaya.html pada tanggal 30 September 2016, jam 18.45

Ashafa, A.O., Sunmonu, T.O., Abass, A.A., Ogbe, A.A., 2011, Laxative Potential of The Ethanolic Leaf Extract of *Aloe vera* (L.) Burm. F. in Wistar Rats With Loperamide-Induced Constipation, *J Nat Pharm*, Vol. 2, pp 158-162.

Assunta, H., 2006, Aloe vera, *Australian Pharmacist Journal*, 25.

Astawan, M. dan Kasih, A.L., 2008, *Khasiat Warna-Warni Makanan*, PT. Gramedia Pustaka Utama, Jakarta.

Backer and Brink, V.D., 1968, Flora of Java, Vol. I-III, Wolters, Noordhoff NV, Groningen, The Neterlands.

Badan Pengawas Obat dan Makanan, 2008, *Direktorat Obat Asli Indonesia*, Jakarta.

Balai Penelitian Tanaman Obat dan Obat Tradisional (Balittro), 2007, *Teknologi Penyiapan Simplisia Terstandar Tanaman Obat*, Balai Tanaman Obat dan Obat, Warta Puslitbangbun (13) 2.

Barcroft, A., Myskja, A., 2003, *Aloe vera*: Nature's Silent Healer, *BAAM Publishing Ltd.*, London.

Benabadji,S.H., Wen, R., Zheng, J.B., Dong, X.C., Yuan, S.G., 2004, Anticarcinogenic and Antioxidant Activity of Diindolylmethane Derivatives, *J. Acta Pharmacologica Sinica*. 25 (5) : 666-671.

Blois, M.S., 1958, Antioxidant Determinations by The Use of a Stable Free Radical, *Nature*, 181: 1199-1200.

Botes, L., Westhuizen, F.H.V., Loots, D.T., 2008, Phytochemical contents and antioxidant capacities of two *Aloe greatheadii var. Davyana* extracts, *Molecules*, 13, 2169–2180.

Chandan, B.K., Saxena, A.K., Shukla, S., Sharma, N., Gupta, D. K., Suri, K.A., Suri, J., Bhadauria, M., Singh, B., 2007, Hepatoprotective potential of *Aloe barbadensis Mill*, against carbon tetrachloride induced hepatotoxicity, *J. Ethnopharmacol*, 111, 560-566.

Clarkson, P.M., Thomson, H.S., 2000, Antioxidants: What role do they play in physical activity and health, *Am J Clin Nutr. Biochem*, 729.

Clayton, Paul., 2008, *Health Defence*, Accelerated Learning Systems Ltd, United Kingdom.

Cutler, S.J., Cutler, H., 2000, *Biologically Active Natural Products: Pharmaceuticals*, CRC Press. A, Boca Raton, 13-1; 92-73.

Departemen Kesehatan Republik Indonesia, 1979, *Farmakope Indonesia Edisi III*, Departemen Kesehatan Republik Indonesia, Jakarta.

Departemen Kesehatan Republik Indonesia, 1986, *Sediaan Galenik*, Departemen Kesehatan Republik Indonesia, Jakarta.

Departemen Kesehatan Republik Indonesia, 1995a, *Farmakope IndonesiaEdisi IV*, Departemen Kesehatan Republik Indonesia, Jakarta.

_____, 1995b, *Materia Medika Indonesia, Jilid VI*, Departemen Kesehatan Republik Indonesia, Jakarta.

Departemen Kesehatan Republik Indonesia, 2000, *Parameter Standar Umum Ekstrak Tumbuhan Obat*, Direktorat Jenderal Pengawasan Obat dan Makanan, Jakarta.

Droge, Wulf, 2002, Free Radicals in The Physiological Control of Cell Function, *Physiol*, Rev., 82, 47-95.

Frei, 1994, Reactive Oxygen Species and Antioxidant Vitamins: Mechanisms of Action, *American Jurnal Medicine*, Excerpta Medica Inc.

Gandjar, I.G., dan Rohman, A., 2009, *Kimia Farmasi Analisis*, Cetakkan II. Pustaka Pelajar, Yogyakarta.

Ghasemzadeh, A., Jaafar, H.E., and Rahmat, A., 2011, Effect of Solvent Type on Phenolics and Flavonoids Content Antioxidant Activities in Two Varieties of Young Ginger (*Zingiber officinale* Roscoe) Extract, *Journal of Medicinal Plants Research*, (7), 1147-1154.

Habeeb, F., Shakir, E., Bradbury, F., Cameron, P., Taravati, M.R., Drummond, A.J., Gray, A.I., Ferro, V.A, 2007, Screening Methods Used To Determine The Anti-Microbial Properties of Aloe vera Inner Gel, *Methods*, 42, 315–320.

Halliwell, B. & Whiteman, M., 2004, Measuring reactive species and oxidative damage in vivo and in cell culture: how should you do it and what do the results mean, *Br J Pharmacol*, 142, 231.

Harborne, J.B., 1987, *Metode Fitokimia*, Penerjemah Kosasih Padmawinata danIwan Sudiro, Cetakan Kedua, ITB Bandung, 69-76, 102-104.

Ito, N., Hirose, M., Fukishima, S., Tsuda, H., Shirai, T., Tatematsu, M., 1986, Studies on Antioxidants: Their Anticarcinogenic and Modifying Effects on Chemical Carcinogenesis, *Food Chem, Toxicol*. 24 : 1099–1102.

Khopkar S. M., 1990, *Konsep Dasar Kimia Analitik*, UI Press, Jakarta.

Kumalaningsih, Sri, 2006, *Antioksidan Alami-Penangkal Radikal Bebas, Sumber, Manfaat, Cara Penyediaan dan Pengolahan*, Trubus Agrisarana, Surabaya.

Markham, R.K., 1988, *Cara Mengidentifikasi Flavonoid*, diterjemahkan oleh Kosasih Padmawinata, ITB, Bandung, 1, 3-5, 34.

Molyneux, P., 2004, The Use of The Stable Free Radical Diphenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity, Songklanakarin *J. Sci.Technol*, 26 (2), 211-219.

Moniruzzaman, M., Rokeya, B., Ahmed, S., Bhowmik, A., Khalil, I., Gan, S.H., 2012, In Vitro Antioxidant Effects of Aloe barbadensis Miller Extracts and the Potential Role of These Extracts as Antidiabetic and Antilipidemic Agents on Streptozotocin-Induced Type 2 Diabetic Model Rats, *Molecules*, 17, 12851-12867.

Nabet, F.B., 1996, *Zat Gizi Antioksidan Penangkal Senyawa Radikal Pangan*, dalam sistem biologis, Di dalam Zakaria, F.R., Dewanti, R., dan

Yasni, S., (Ed.)., Prosiding Seminar Senyawa Radikal dan Sistem Pangan : Reaksi Biomolekuler, Dampak terhadap Kesehatan dan Panangkalan. Kerjasama Pusat Studi Pangan dan Gizi IPB dengan Kedutaan Perancis, Jakarta.

Nakatani, N., 1992, Natural Antoxidants from Species, In Phenolic Compounds in Food and their Effect on Health, *American Chemical Society*, Washington DC.

Okawa, M., Kinjo, J., Nohara, T., Ono, M., 2001, Modification Method DPPH (2,2-difenil-1-pikrilhidrazil) Radical Scavenging Activity Of Flavonoids Obtained From Some Medicinal Plants, *Biol. Pharm. Bull*., 24 (10), 1202-1205.

Pokorny, J., Yanishlieva, N., and Gordon, M., 2001, *Antioxidant in Food: Practical Application*, CRC Press Cambridge, New York.

Prahesti, N.R., Suzery, M., Cahyono, B., 2015, The Antioxidant Activities, Phenolic Total and Cytotoxicity of Extract and Fractions of *Aloe vera* Linn, *Jurnal Sains dan Matematika*, 0854-0675, Semarang.

Prasetyo dan Inoriyah, E., 2013, *Pengelolaan Budidaya Tanaman Obat-Obatan (Bahan Simplisia)*, Cetakan ke-1, Badan Penerbitan Fakultas Pertanian UNIB, Bengkulu.

Pratt, D.E., dan Hudson, B.J.F., 1992, Food Antioxidants, *Elsevier Applied Science*, 171-192.

Purseglove, J. W., E. G. Brown, C. L. Green, and S. R. J. Robins, 1981, *Spices Vol I*, Longman Inc, New York, 10-99.

Rajasekaran, S., Ravi, K., Sivagnanam, K., Subramanian, S., 2006, Beneficial effects of Aloe vera leaf gel extract on lipid profile status in rats with streptozotocin diabetes, *Clin. Exp. Pharmacol Physio*, 33, 232-237.

Robinson, P., 1995, *Kandungan Organik Tumbuhan Tinggi*, diterjemahkan oleh Padmawinata, K., Edisi 6, Institute Teknologi Bandung, Bandung.

Rohmatussolihat, 2009, *Antioksidan Penyelamat Sel-Sel Manusia*, Pusat Penelitian Bioteknologi-LIPI, 4 (1), 5

Shahidi, F., dan Wanasundara, U.N., 2002, *Methods For Measuring Oxidative Rancidity in Fats and Oils*, Marcel Dekker Inc, New York.

Striegel dan Hill, 1996, *Thin Layer Chromatography for Binding Media Analysis*, The Getty Conversation Institute, Los Angeles, 25-28.

Sudjadi, 1986, *Metode Pemisahan*, Pustaka Pelajar, Yogyakarta.

Suhartono, E., Fachir, H., Setiawan, B., 2007, *Kapita Sketsa Biokimia Stres Oksidatif Dasar dan Penyakit*, Pustaka Benua, Banjarmasin.

Sultana, B., Anwar, F., Ashraf, M., 2009, Effect of extraction solvent/technique on the antioxidant activity of selected medicinal plant extracts, *Molecules*, 14, 2167–2180.

Szent-Györgyi, Albert, 1937, *The Nobel Prize in Physiology of Medicine*, dalam Fernandes, D., 2006, Vitamin C, Stanfort University, Stanfort, 211-214.

Tapan, E., 2005, *Kanker, Antioksidan dan Terapi Komplementer*, PT. Gramedia, Jakarta, 103-104.

Thompson, E.B., 1985, *Drug Bioscreening*, Graceway Publishing Company, Inc., pp. 40, 118.

Vastrad, J.V., Goundar, G., Byadgi, S.A., Devi, R.D., Kotur, R., 2015, Identification of bio-active components in leaf extracts of *Aloe vera*, *Ocimum tenuiflorum* (Tulasi) and *Tinospora cordifolia* (amrutballi), *Journal of Medical Plants Research*, Vol. 9 [28], pp. 764-770.

Vazquez, B., Avila, G., Segura, D., Escalante, B., 1996, Antiinflammatory activity of extracts from Aloe vera gel, *J. Ethnopharmacol*, 55, 69-75.

Voigt, R., 1994, *Buku Pelajaran Teknologi Farmasi*, diterjemahkan oleh Soendari, N.S., Gadjah Mada University Press, Yogyakarta.

Winarsi, H., 2007, *Antioksidan Alami & Radikal Bebas*, Kanisius, Yogyakarta.