

LAMPIRAN

Lampiran Olah Data

Correlations

		Correlations			
		X1.1	X1.2	X1.3	Jml
X1.1	Pearson Correlation	1	,254 [*]	,219 [*]	,670 ^{**}
	Sig. (2-tailed)		,011	,028	,000
	N	100	100	100	100
X1.2	Pearson Correlation	,254 [*]	1	,835 ^{**}	,855 ^{**}
	Sig. (2-tailed)	,011		,000	,000
	N	100	100	100	100
X1.3	Pearson Correlation	,219 [*]	,835 ^{**}	1	,840 ^{**}
	Sig. (2-tailed)	,028	,000		,000
	N	100	100	100	100
Jml	Pearson Correlation	,670 ^{**}	,855 ^{**}	,840 ^{**}	1
	Sig. (2-tailed)	,000	,000	,000	
	N	100	100	100	100

*. Correlation is significant at the 0.05 level (2-tailed).

**. Correlation is significant at the 0.01 level (2-tailed).



Correlations

		Correlations				
		X2.1	X2.2	X2.3	X2.4	Jml
X2.1	Pearson Correlation	1	,375**	,418**	,274**	,726**
	Sig. (2-tailed)		,000	,000	,006	,000
	N	100	100	100	100	100
X2.2	Pearson Correlation	,375**	1	,368**	,331**	,704**
	Sig. (2-tailed)	,000		,000	,001	,000
	N	100	100	100	100	100
X2.3	Pearson Correlation	,418**	,368**	1	,494**	,781**
	Sig. (2-tailed)	,000	,000		,000	,000
	N	100	100	100	100	100
X2.4	Pearson Correlation	,274**	,331**	,494**	1	,706**
	Sig. (2-tailed)	,006	,001	,000		,000
	N	100	100	100	100	100
Jml	Pearson Correlation	,726**	,704**	,781**	,706**	1
	Sig. (2-tailed)	,000	,000	,000	,000	
	N	100	100	100	100	100


** . Correlation is significant at the 0.01 level (2-tailed).



Correlations

		Correlations				
		X3.1	X3.2	X3.3	X3.4	Jml
X3.1	Pearson Correlation	1	.020	.057	.063	.736**
	Sig. (2-tailed)		.845	.572	.532	.000
	N	100	100	100	100	100
X3.2	Pearson Correlation	.020	1	.120	.188	.662**
	Sig. (2-tailed)	.845		.236	.062	.000
	N	100	100	100	100	100
X3.3	Pearson Correlation	.057	.120	1	.430**	.280**
	Sig. (2-tailed)	.572	.236		.000	.005
	N	100	100	100	100	100
X3.4	Pearson Correlation	.063	.188	.430**	1	.330**
	Sig. (2-tailed)	.532	.062	.000		.001
	N	100	100	100	100	100
Jml	Pearson Correlation	.736**	.662**	.280**	.330**	1
	Sig. (2-tailed)	.000	.000	.005	.001	
	N	100	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).



Correlations

		Correlations					
		Y.1	Y.2	Y.3	Y.4	Y.5	Jml
Y.1	Pearson Correlation	1	.485**	.277**	.360**	.181	.662**
	Sig. (2-tailed)		.000	.005	.000	.072	.000
	N	100	99	100	100	100	100
Y.2	Pearson Correlation	.485**	1	.355**	.428**	.409**	.789**
	Sig. (2-tailed)	.000		.000	.000	.000	.000
	N	99	99	99	99	99	99
Y.3	Pearson Correlation	.277**	.355**	1	.339**	.382**	.668**
	Sig. (2-tailed)	.005	.000		.001	.000	.000
	N	100	99	100	100	100	100
Y.4	Pearson Correlation	.360**	.428**	.339**	1	.245*	.698**
	Sig. (2-tailed)	.000	.000	.001		.014	.000
	N	100	99	100	100	100	100
Y.5	Pearson Correlation	.181	.409**	.382**	.245*	1	.587**
	Sig. (2-tailed)	.072	.000	.000	.014		.000
	N	100	99	100	100	100	100
Jml	Pearson Correlation	.662**	.789**	.668**	.698**	.587**	1
	Sig. (2-tailed)	.000	.000	.000	.000	.000	
	N	100	99	100	100	100	100

** . Correlation is significant at the 0.01 level (2-tailed).

* . Correlation is significant at the 0.05 level (2-tailed).

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	84,7
	Excluded ^a	18	15,3
	Total	118	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,673	3

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	84,7
	Excluded ^a	18	15,3
	Total	118	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,706	4



Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	84,7
	Excluded ^a	18	15,3
	Total	118	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,691	4

Reliability

Scale: ALL VARIABLES

Case Processing Summary

		N	%
Cases	Valid	100	84,7
	Excluded ^a	18	15,3
	Total	118	100,0

a. Listwise deletion based on all variables in the procedure.

Reliability Statistics

Cronbach's Alpha	N of Items
,628	4

Regression

Variables Entered/Removed^a

Model	Variables Entered	Variables Removed	Method
1	KPL, RG, KP ^b		Enter

a. Dependent Variable: KN

b. All requested variables entered.

Model Summary

Model	R	R Square	Adjusted R Square	Std. Error of the Estimate
1	.653 ^a	.426	.408	5.26627

a. Predictors: (Constant), KPL, RG, KP

ANOVA^a

Model		Sum of Squares	df	Mean Square	F	Sig.
1	Regression	1975.330	3	658.443	23.742	.000 ^b
	Residual	2662.430	96	27.734		
	Total	4637.760	99			

a. Dependent Variable: KN

b. Predictors: (Constant), KPL, RG, KP

Coefficients^a

Model		Unstandardized Coefficients		Standardized Coefficients	t	Sig.	Collinearity Statistics	
		B	Std. Error	Beta			Tolerance	VIF
1	(Constant)	12.455	5.390		2.311	.023		
	RG	.095	.083	.097	1.144	.255	.825	1.212
	KP	.541	.129	.418	4.186	.000	.599	1.670
	KPL	.332	.128	.254	2.605	.011	.628	1.593

a. Dependent Variable: KN

Coefficient Correlations^a

Model			KPL	RG	KP
1	Correlations	KPL	1.000	-.142	-.538
		RG	-.142	1.000	-.255
		KP	-.538	-.255	1.000
	Covariances	KPL	.016	-.002	-.009
		RG	-.002	.007	-.003
		KP	-.009	-.003	.017

a. Dependent Variable: KN

Model	Dimension	Eigenvalue	Condition Index	Variance Proportions			
				(Constant)	RG	KP	KPL
1	1	3.965	1.000	.00	.00	.00	.00
	2	.024	12.757	.05	.98	.02	.03
	3	.006	24.997	.95	.02	.19	.23
	4	.005	28.804	.00	.01	.79	.75


a. Dependent Variable: KN

Charts



Histogram

Dependent Variable: Rata Y



Normal P-P Plot of Regression Standardized Residual
Dependent Variable: Rata Y

